


致力于打造
顶级娱乐智能KTV
颠覆影音视觉K歌新时代

诚招全国空白区域代理经销商

地址：广州市白云区石井镇滘心村瓦窑工业区
手机：13711632625
电话：020-36370857
QQ:1933875662/1310366462
邮箱：1933875662@qq.com
网站：http://www.jssligh.com



Address: Guangzhou Baiyun District Shijing
Kau xincun wa yao industrial zone
Tel: 020-36370857
QQ:1933875662/1310366462
Mailbox: 1933875662@qq.com
Website: http://www.jssligh.com

全国统一热线：400-9013-168

JS-LYTE
嘉森光电

智能KTV系统整体灯光方案解决专家
INTELLIGENT KTV SYSTEM OVERALL LIGHTING SOLUTION EXPERT.






KTV 智能灯光控制器

KTV Intelligent lighting controller

JS-KZ001

RS232、TLL 通讯协议：支持，用于不同品牌点歌机通信对接联机；
AC110~220V 输入口：L N(火线零线同时接入)
AC-110~220V 输出：3KW*5 个强电接口（输出为单火线）
灯光场景：32 个；每个灯光场景步长 9999，大约 6-7 分钟
内存：8G
中控器：内置
音频检测器：内置
面板直连：支持；
排风扇接口：1 个；
服务灯接口：1 个；
摇麦感应灯接口：1 个
支持：TT 控台灯光调式，电脑模拟控台调式；
DMX512：最大 512 通道；
数字显示：英文字符
工作电源：AC110~220V 50Hz；
安装方式：壁挂或水平放置；

RS232, TLL communication protocol: support for the online communication of different brands of point song machines;
The input port of AC110~220V :L N(line zero simultaneous access)
AC-110~220V outlet: 3KW*5 strong power interface (output is single wire)
Lighting scene: 32; Each lighting scene step is 9999, about 6-7 minutes.
8 g memory:
Central controller: built-in.
Audio detector: built-in.
Panel direct connection: support;
Fan interface: 1;
Service lamp interface: 1;
Sensor lamp interface: 1.
Support: TT console lighting mode, computer simulation console mode;
DMX512: maximum 512 channels;
Numeric display: English character.
Working power: AC110~220V 50Hz;
Installation method: wall hanging or horizontal placement;



JS-K001A/B

激光染色 / 图案激光染色二合一
Laser dyeing/pattern laser dyeing 2 in 1



输入电压：AC100~250V,50/60Hz
额定功率：80W
LED 光源：10W 四合一 LED6 颗 中心带一个 100HW 激光雨，可选加激光图案效果
额定寿命：约 50000 小时
颜色：RGBW(红绿蓝白) 线性混色
光束角：25 度
调光：0~100% 线性调光
电子频闪：0~25 次/秒，并可调节频闪速度
通讯信号：标准 DMX512 信号，RJ45 接口
控制模式：自走模式、DMX 模式、主从模式、声控模式

Input voltage: AC100~250V, 50/60Hz.
Rated power: 80W.
LED light source: 10W, four in one, and six centers with a 100HW laser shower, which can be selected with laser pattern effect. Rated life: about 50,000 hours.
Color: RGBW(red, green, blue, white) linear mixture.
Beam Angle: 25 degrees
Dimming: 0~100% linear dimming.
Electronic frequency flash: 0~25 times per second, and can adjust the stroboscopic speed.
Communication signal: standard DMX512 signal, RJ45 interface.
Control mode: self-paced mode, DMX mode, master-slave mode, voice control mode.

JS-K003

LED 6 颗蜂眼激光 2 合一
LED 6 bee eye laser 2 in 1



输入电压：AC100~250V,50/60Hz
LED 光源：12W 四合一 LED6 颗 中心带一个 100HW 单绿激光
控制模式：自走模式、DMX 模式、主从模式、声控模式

Input voltage: AC100~250V, 50/60Hz.
LED light source: 12W four-in-one LED6 center with a 100HW single green laser.
Control mode: self-paced mode, DMX mode, master-slave mode, voice control mode.

JS-K005A/B

双层 / 3 层进口科瑞高亮蝴蝶灯
Double-layer / 3-layer import cory highlights butterfly lamp.



电压：AC110/240V 50~60Hz
功率：30W
光源：四合一 RGBW 2x10W
控制：DMX512，声控，主从，自走
功能：点阵效果，音乐动感

Voltage: ac110/240v 50~60hz.
30 w power:
Light source: four in one RGBW 2x10W.
Control: DMX512, voice control, master-slave, self-walk.
Function: dot matrix effect, music movement.



JS-K007

LED 迷你高亮蝴蝶灯
LED mini highlight butterfly lamp.




电压：AC110~240V 50~60Hz
功率：30W
光源：2 颗 10W RGBW 四合一 LED 灯珠
控制：DMX512，声控，主从，自走
功能：点阵效果，音乐动感
尺寸：21*21*19cm
重量：2kg

Voltage: ac110~240v 50~60hz.
power:30W
Light source: two 10W RGBW four in one LED lamp bead.
Control: DMX512, voice control, master-slave, self-walk.
Function: dot matrix effect, music movement.
Size: 21 * 21 * 19 cm
Weight: 2 kg



JS-K002

60W/30W 图案摇头染色二合一
60W/30W pattern shaking head color 2 in 1.



输入电压：AC100~250V,50/60Hz
额定功率：80W
LED 光源：10W 四合一 LED6 颗 加图案效果
额定寿命：约 50000 小时
颜色：RGBW(红绿蓝白) 线性混色
光束角：25 度
调光：0~100% 线性调光
电子频闪：0~25 次/秒，并可调节频闪速度
通讯信号：标准 DMX512 信号，RJ45 接口
控制模式：自走模式、DMX 模式、主从模式、声控模式

Input voltage: AC100~250V, 50/60Hz.
Rated power: 80W.
LED light source: 10W, 4 in one, LED6 with design effect.
Rated life: about 50,000 hours.
Color: RGBW(red, green, blue, white) linear mixture.
Beam Angle: 25 degrees
Dimming: 0~100% linear dimming.
Electronic frequency flash: 0~25 times per second, and can adjust the stroboscopic speed.
Communication signal: standard DMX512 signal, RJ45 interface.
Control mode: self-paced mode, DMX mode, master-slave mode, voice control mode.

JS-K004

LED 3 颗蜂眼激光 2 合一
LED 3 bee eye laser 2 in 1



输入电压：AC100~250V,50/60Hz
LED 光源：12W 四合一 LED3 颗 中心带一个 100HW 单绿激光
控制模式：自走模式、DMX 模式、主从模式、声控模式

Input voltage: AC100~250V, 50/60Hz.
LED light source: 12W four-in-one LED3 center with a 100HW single green laser.
Control mode: self-paced mode, DMX mode, master-slave mode, voice control mode.

JS-K006

LED 土豪金高亮蝴蝶灯
LED tuhao gold bright butterfly lamp.



电压：AC110~240V 50~60Hz
功率：30W
光源：2 颗 10W RGBW 四合一 LED 灯珠
控制：DMX512，声控，主从，自走
功能：点阵效果，音乐动感
尺寸：21*21*19cm
重量：2kg

Voltage: ac110~240v 50~60hz.
Light source: two 10W RGBW four in one LED lamp bead.
Control: DMX512, voice control, master-slave, self-walk.
Function: dot matrix effect, music movement.
Size: 21 * 21 * 19 cm
Weight: 2 kg




JS-K008A/B

6 眼图案 / 线条激光灯
Eye pattern/line laser light.




激光器：100mw 绿激光，200mw 红光，200mw 蓝光。
控制模式：声控，自动，DMX512 信号。
电源：110~220V，频率 50~60Hz
尺寸：340*150*70(mm)
重量：2.6kg

Laser: 100mW green laser, 200 mw red light, 200 mw blue light.
Control mode: voice control, automatic, DMX512 signal.
Power supply: 110~220v, frequency 50~60hz.
Size: 340 * 150 * 70 (mm)
Weight: 2.6 kg



JS-K009A/B



1W/3W 全彩动画激光 1W/3W full-color animated laser.

电源 :220V/110VM 50/60HZ
功率: 标准 1W
红色: 波长 650NM, 功率 :600W
绿色: 波长 532NM, 功率 :150MW (蓝色: 波长 473NM, 功率 :400MW)
扫描角度 : +/-30
通道 :12
控制模式: 声控, 自动 (可设主从机同步) 单图案, PC 控制.
尺寸: 500*375*185 (MM)
重量: 15KG

Power supply: 220 v / 110 vm 50/60 hz
Power: standard 1W.
Red: wavelength 650NM, power :600W.
Green: wavelength 532NM, power :150MW (blue: 473NM, power :400MW)
Scan Angle : +/-30.
Channel: 12
Control mode: voice control, automatic (programmable synchronous) single, pattern, PC control.
Size: 500*375*185 (MM)
15 kg weight:

JS-K011



30W/10W 图案摇头灯 30W/10W pattern head lamp.

电压 :AC100-240V 50/60 Hz
消耗功率 :40W
光源 :1 颗 30W 白光
1 颗 30W 进口科锐灯珠 RGBW
DMX 通道 :4/12CH
移动: 水平 540°, 垂直 190°
控制模式 :DMX512/ 主从 / 自走 / 声控
显示 : LED 显示
色盘 : 7 色 + 白光, 彩虹效果

Voltage: ac100-240v 50/60 Hz.
Consumption power :40W.
Light source :1 30W white light.
1 30W imported core-light bead RGBW.
DMX channels: 4/12 ch
Mobile: level 540, vertical 190 meters.
Control mode :DMX512/ master slave/self-walk/voice control.
Display: LED display
Color disk: 7 color + white light, rainbow effect.

JS-K013



60W/90W LED 图案摇头灯 60W/90W LED design headlamp.

电源: AC110-220V 50-60Hz
功率: 80W
通道: 15CH
光源: 流明高亮度 60Wx1 颗 LED 白色
控制: DMX512, 主从机, 自动, 声控
图案: 8 个可旋转图案 + 白光 + 7 个固定
图案, 图案抖动 + 图案流水
颜色: 7 色 + 白光 + 颜色流水
棱镜: 可旋转的三棱镜

Power: ac110-220v 50-60hz.
Power: 80 w
Channel: 15 ch
Light source: lumen high brightness 60Wx1 LED white.
Control: DMX512, master slave, automatic, voice control.
Pattern: 8 rotatable patterns + white light + 7 fixed.
Pattern, pattern shaking + pattern flowing water.
Color: 7 colors + white light + color running water.
Prism: a rotatable prism.

JS-K015



16 颗 /9 颗 LED 摇头无极幻影光束灯 16/9 LED Moving Head Phantom Beam Light

电压: AC100-240V 50/60HZ
尺寸: 44X42X19cm (长 X 宽 X 高)
光源: 16 颗 *12W4 合 1 进口灯珠
旋转: X 轴和 Y 轴均无极旋转
净重: 11.3KG
模式: 自走、声控、主从、DMX
功率: 300W
特点: 灯珠可以单控或同步控制及无限混色, 多种内置程序效果

Voltage: AC100-240V 50/60HZ
Size: 44X42X19cm (length X width X height)
Light source: 16 *12W4 in 1 imported lamp beads
Rotation: Both the X axis and the Y axis are infinitely rotated
Net weight: 11.3KG
Mode: Self-propelled, voice-activated, master-slave, DMX
Power: 300W
Features: Lamp beads can be single-control or synchronous control and unlimited color mixing, a variety of built-in program effects

JS-K010



LED 400W 烟机 RGB 颜色可选 LED 400W cigarette machine RFB color can be selected.

R,G,B 三色只能选其一。电压: AC 220V-240V / 50HZ
功率: 400W
限流保险: 230V/5A
壶容量: 0.75 L
吸烟量 :6000cuft/min
预热时间: 10min
控制方式: 线控控制或者遥控控制
包装尺寸: 290*150*190 MM
重量: 2.5 KG

R,G,B, three colors can only be one. Voltage: AC 220V-240V / 50HZ.
Power: 400 w
Current limiting insurance: 230V/5A.
Pot capacity: 0.75 L.
Blowing smoke quantity: 6000 cuft/min
Preheating time: 10min.
Control mode: line control or remote control.
Packing size: 290*150*190 MM.
Weight: 2.5kg

JS-K012



LED 7 颗染色摇头灯 LED 7 dyeing headlights.

电压: AC100-240V 50-60Hz
灯珠: 7 颗 10W LED
颜色: 红绿蓝混色
水平 / 垂直: 水平 540°, 垂直 270°
频闪 / 调光: 电子变量
电子线性调光 0-100%
模式: 声控, DMX512, 自走, 主从
多通道模式
控制通道: 8/13 个

Voltage: AC100-240V 50-60hz.
Lamp beads: 7 10W leds.
Color: red, green and blue.
Horizontal/vertical, horizontal, 540°, 270° vertically
Frequency flash/dimming: electronic variable.
Electronic linear dimming 0-100%.
Mode: voice control, DMX512, self-paced, master-slave.
Multichannel mode
Control channel: 8/13.

JS-K014



LED 6 颗蜂眼光束摇头灯 LED 6 bee eyes beam head lamp.

电压: AC100V-240V/50-60Hz
功率: 100W
光源: 6 颗 15W 4 合 1 RGBW LED 灯珠
灯珠寿命: 50000 小时
透镜: 非球面透镜 光束角度: 1.5 度
光斑角度: 最低 6°, 最大角度 51°
频闪: 1-30 次 / 秒电子频闪与随机频闪

Voltage: AC100V - 240 v / 50 - 60 hz
Power: 100 w
Light source: 6 15W 4 and 1 RGBW LED lamp beads.
Lamp life: 50,000 hours.
Lens: aspheric lens beam Angle: 1.5 degrees.
Flare Angle: minimum 6°, 51° Angle
Frequency flash: 1-30 times/second electronic frequency flash and random strobe.

JS-K016



LED 八眼风火轮 LED 8 eye wind wheel.

电压: AC100V-240V 50-60Hz
光源: 8*10W RGBW 4-in-1 LEDs
功率: 100W
寿命: 50,000 小时 (额定)
光束角度: 5 度
颜色: RGBW 混色
通道: 25/31CHS
模式: 自走, 主从, DMX512, 声控

Voltage: AC100V-240V 50-60hz.
Light source: 8*10W RGBW 4-in-1 LEDs.
Power: 100 w
Life span: 50,000 hours (rated)
Beam Angle: 5 degrees.
Color: RGBW mixed color.
Channel: 25/31 CHS
Mode: self-paced, master-slave, DMX512, voice control.

JS-K017A/B



9 颗 LED 蜘蛛灯 / 迷你 9 LED spider lights/mini.

电压: AC100-240V 50/60Hz
消耗功率: 140W
光源: 9*10W RGBW 科锐灯珠
模式: 声控, DMX 控制, 主从, 自走
DMX 通道: 15/45CH
电子调光: 0-100%
水平: 0-540 度
使用寿命: (20,000 小时)
光束角度: 5 度


Power: 120 w
Lamp bead specification: single 12W American corre lamp bead red green blue white 4-1 LED.
Life span: 50,000 hours of long life, low energy consumption, energy saving and environmental protection LED.
Channel :16/48, DMX channel.
X, Y axis Angle: the X axis rotate 360° unlimited, Y 120 Siroscopic: high speed electronic regulation frequency flash/random frequency flash, 1-25 times/second.
Operation mode: single mode, controller mode, master/slave mode.

迷你无限箭 /+ 激光 Mini infinity arrow /+ laser.

LED 光源: 9 颗 x1W 红, 绿, 蓝, 白, 黄, 紫, 橙, 青, 玫红, 9 种颜色高亮度
激光功率: 绿光 50mw, 红光 200mw
功率: 30W
模式: 遥控, 声控, 自走, DMX512
包装尺寸: 17.5*15*17cm (8 只 / 箱)
外箱尺寸: 43.8x43x48.6cm
净重: 1.45KG 毛重: 1.9KG

LED light source: 9 x1W red, green, blue, white, yellow, purple, orange, Green, rose red, 9 colors high brightness.
Laser power: green light 50mw, red light 200mw.
30 w power:
Mode: remote control, voice control, walk, DMX512.
Packing size: 17.5*15*17cm (8 PCS/box)
Outer box size :43.8x43x48.6cm.
Net weight: 1.45kg gross weight: 1.9kg.

JS-K019A/B




LED 水纹灯 LED water lines light

电压: AC100V-240V 50-60Hz
功率: 30W 保险 :3A
灯源: 1 颗 20W 三合一科锐灯珠
马达: AC110V/220V/1.5RPM*2
颜色盘: 6 颜色 / 带彩虹效果
水盘: 2 水盘可旋转
包装尺寸: L340*W220*H290mm
净重: 2.5KG 毛重: 3KG

Voltage: AC100V - 240 - v 50-60 hz
Power :30W insurance :3A.
Lamp source: 1 20W 3 in 1.
Color: AC110V / 220 v / 1.5 RPM * 2
Color disk :6 color/rainbow effect.
Water disc :2 water disc can be rotated.
Packing size :L340*W220*H290mm.
Net weight: 2.5kg gross weight :3KG.

JS-K021



LED/ 激光 LED 八图灯 LED/ laser LED eight-chart lamp.

电压: AC90-240V 50-60Hz
功率: 45W
光源: 3W CREE LED 灯珠 (红, 绿, 蓝, 白四色) 八个灯珠, 八个图案
控制模式: 声控, 自走, DMX512 控制
控制通道: 7 通道
尺寸: 37*33*15.5cm
毛重: 3.7kg

Voltage: ac90-240v 50-60hz.
Power: 45 w
Light source: 3W CREE LED lamp bead (red, green, blue, white four color) eight light beads, eight patterns.
Control mode: voice control, self-walk, DMX512 control.
Control channel: 7 channel.
Size: 37 * 33 * 15.5 cm
Gross weight: 3.7 kg

JS-K023A/B



3 合一 LED 激光彩带半球灯 3in1 LED laser color band hemisphere lamp

电压: AC90-240V 50-60Hz
LED: 5 颗 3W LED 灯珠 (红绿蓝白粉黄)
激光: 红色 100mW, 绿色 50mW
功率: 20W
模式: 声控, 自走 DMX512

Voltage: AC90-240 - v 50-60 hz
LED: 5 3W LED light beads (red, green, blue, white powder yellow)
Laser: red 100mW, green 50mW.
Power: 20 w
Mode: voice control, self-walk DMX512.

JS-K018A/B



LED 蜘蛛灯 /8 颗迷你蜘蛛灯 LED spider light /8 mini spider light.

电压: AC100-240V 50/60Hz
功率: 150W
灯珠: 8 颗 RGBW 4 合 1 10W 灯珠
通道: 1CH, 6CH, 8CH, 12CH, 18CH
光束角度: 6.5°
模式: DMX512, 主从, 自走, 声控, LED 数码显示调光

Voltage: ac100-240v 50/60hz.
Power consumption: 140W.
Light source: 9*10W RGBW.
Mode: voice control, DMX control, master-slave, self-walk.
DMX channel: 15/45ch.
Electronic dimming: 0-100%.
Level: 0-540 degrees
Service life (20,000 hours)
Beam angle: 5 degrees.

JS-K020




LED 8 头扇形光束灯 LED 8 fan-shaped beam lamp.

电压: AC90-240V 50-60Hz
光源: 175 颗 M5 超亮 LED
功率: 50W
颜色: 红蓝绿三色变幻
控制模式: 声控、自走、主从
控制通道: 8 个通道
尺寸: 620x480x200mm
净重: 5.5kg 毛重: 4.2kg

Voltage: ac90-240v 50-60hz.
Light source: 175 M5 super bright LED.
Power: 50 w
Color: red, blue, green, and green.
Control mode: voice control, self-paced, master-slave.
Control channel: 8 channels.
Size: 620 x480x200mm
Net weight: 5.5kg gross weight: 4.2kg.

JS-K022



三合一仙女散花灯 3 in 1 fairy scattered flower lamp.

光源: 15 颗 LED 大功率灯珠 + 红绿激光
颜色: 红绿蓝 LED + 红绿激光
额定电压: AC100-240V 50-60Hz
功率: 75W
商品尺寸: 32*32*30CM
净重: 2.95kg
功能: DMX512, 主从, 声控, 自走

Light source :15 LED high-power lamp bead + red green laser.
Color: red, green, blue LED+ red green laser.
Rated voltage: ac100-240v 50-60hz.
Power: 75 w
Product size :32*32*30CM.
Net weight: 2.95 kg
Function: DMX512, master slave, voice control, self-walk.

JS-K024



四合一包房效果灯 Four in one room effect light.

供电电源: 100-240VAC, 50/60Hz
灯珠品牌: 进口科瑞 (CREE)
LED 光源 1: 1W*6 灯珠 (颜色: 红、绿、蓝、黄、白、紫)
LED 光源 2: 3W*4 颗灯珠 (颜色: 红、绿、蓝、白)
LED 光源 3: 单颗 30W 灯珠 (颜色: 纯白光)
控制模式: 智能数码显示、声控、自走、DMX512
外形尺寸: 34*16*12.814. 净重: 2.28kg

Power supply: 100-240vac, 50/60hz.
Lamp bead brand: import cory (CREE)
LED light source: 1:1 W*6 lamp beads (color: red, green, blue, yellow, white, purple).
LED light source 2: 3w *4 light beads (color: red, green, blue, white)
LED light source 3: single 30W lamp bead (color: pure white light)
Control mode: intelligent digital display, voice control, self-walk, DMX512.
Dimensions: 34*16*12.814. Net weight: 2.28kg.

JS-K026



LED 图案灯笼灯 LED design lantern.

电压: AC90-240V 50-60Hz
光源: 12 颗 3W 高亮度 LED
功率: 80W
模式: 自走, 声控, DMX512
功能: 上下出光, 360° 全角度照射

Voltage: AC90-240 - v 50-60 hz
Light source :12 3W high brightness LED.
Power: 80 w
Mode: self-paced, voice-activated, DMX512.
Function: light up and down, 360 full Angle irradiation.

JS-K027



4图上下出光飞碟
Figure out the light flying saucer.
电压:AC90-240V 50-60Hz
LED:8颗 3W LED灯珠 (红绿蓝白各2颗)
功率:40W
模式:声控,自走,DMX512

Voltage: AC90-240 ~ v 50-60 hz
LED:8 3W LED light beads (red, green, blue and white)
Power: 40 w
Mode: voice control, self-walk,DMX512.

JS-K029



LED 感应明星灯
LED sensor lights
电压: AC100/230V ± 10% 50-60Hz
功率: 20W
光源: 96颗高亮度 F5 灯珠
颜色: 红, 绿, 蓝, 白, 黄 (可选)
感应距离: 3-3.5米

Voltage:AC100/230V ± 10% 50-60Hz
Power:20W
Source:96pcs High-brightness F5 LED
Color:RGBWY(Optional)
Induction distance:3-3.5M

JS-K031A/B



双头红绿 / 四色激光
Double red green/four-color laser
电源供应: AC110V/AC230V ± 10%
频率: 50HZ-60HZ ± 10%
额定功率:30W 激光光源: 半导体激光发生器
激光功率: 绿光 60mw; 红光 100mw

Power supply: AC110V/AC230V plus or minus 10%.
Frequency ratio: 50 hz ~ 60 hz plus or minus 10%
Rated power :30W laser light source: semiconductor laser generator.
Laser power: green light 60mw; Red 100 mw

JS-K033A/B



包房双头 / 单头红绿激光
Double head/single red green laser
电压: AC 110/220V, 50/60Hz
功率: 20W
光源: 半导体激光器
激光功率: 绿 50mW, 红 100mW
控制方式: 自走模式、声音控制模式

Voltage: AC 110/220v, 50/60hz.
Power: 20 w
Light source: semiconductor laser.
Laser power: green 50mW, red 100mW.
Control mode: self-paced mode, sound control mode.


JS-K035



激光泡组合套装 R/G/B
Laser bubble combination set R/G/B
绿: 电压:3.3V 电流:480mA
红: 电压:3.3V 电流:210mA
蓝: 电压:7V 电流:160mA
电源: 100-240V AC, 50/60HZ

Green: Voltage: 3.3V Current: 480mA
Red: Voltage 3.3V Current: 210mA
Blue: Voltage 7V Current: 160mA
Power supply: 100-240V AC, 50/60HZ


JS-K037A/B



LED 200/300W 吸顶频闪灯
LED 200/300w suction flash lamp
电源:AC90-240V,50/60Hz
功率:20W/30W
光源:1颗 LED *20W/30W
发光颜色: 红, 绿, 蓝, 白, 黄, 全彩色
外壳颜色: 白

Power supply: AC90-240 ~ v, 50/60 hz
Power: 20 w / 30 w
Light source :1 LED *20W/30W.
Luminous colors: red, green, blue, white, yellow, full color.
Shell color: white

JS-K028A/B



LED 大宇宙 / 激光魔球
LED big universe/laser magic ball
电压:AC90-240V 50-60Hz
LED:5颗 3W LED灯珠 (红绿蓝白粉黄)
功率:20W 模式:声控,自走,DMX512
适用场所:家用,KTV包房,酒吧,小型汇演等

Voltage: AC90-240 ~ v 50-60 hz
LED:5 3W LED light beads (red, green, blue, white powder yellow)
Power :20W mode: voice control, self-walk,DMX512.
Applicable place: household,KTV private room, bar, small confluence, etc.

JS-K030A/B



四头 / 三头红绿激光灯
Four/three red and green laser lights
额定电压: AC110V ~ /AC230V ± 10% 50/60Hz
激光功率: 绿色: 35+35mw 红色: 100MW
控制系统: 自带恒温保护, DMX-512 信号, 七通道控制。

Rated voltage: AC110V ~/AC230V ± 10%50/60hz
Laser power: Green: 35+35mw Red: 100MW
Control system: comes with constant temperature protection, DMX-512 signal, seven-channel control.

JS-K032



SD卡 / 海豚动画激光
SD card/dolphin animation laser
电源: 90-250VAC,50/60Hz
总功率: 15W 激光器功率: 150mw
控制模式: 声控 / 自动 /DMX
内置图案: 40个 净重: 0.7Kg
产品尺寸: 183x118x62mm

Power supply: 90-250 vac, 50/60 hz
Total power: 15W laser power: 150mw.
Control mode: voice control/automatic/DMX.
Built-in design: 40 net weights: 0.7kg.
Product size: 183x118x62mm.

JS-K034



九眼蘑菇光束激光灯
Nine eyes mushroom beam laser light
光源:绿色 50MW 红色 100MW 蓝色 150MW
模式:DMX 模式声控模式自走模式
控制:高速电机扫描角度
电源:AC 100-220V 50-60HZ
尺寸:19cm *1 5cm *21 cm
效果:各种光束打点, 复杂图形效果, 断笔效果
净重:2kg
Light source: green 50MW red 100MW blue 150MW.
Mode :DMX mode voice control mode.
Control: high-speed motor scan Angle.
Power supply :AC 100-220v 50-60hz.
Size :19cm *1 5cm *21 cm.
Effect: all kinds of light beam, complex graphics effect, broken pen effect.
net weight:2 kg


JS-K036A/B/C



LED 卫士频闪灯 40/60/80W
LED vesting lamp 40/60/80w
电源:AC90-240V,50/60Hz 功率:40W
光源:2颗 LED * 20W
外壳颜色: 黑, 白
控制方式: 声控, 自走, DMX512, 曝光, 闪烁, 频闪 (无级调速)

Power supply: ac90-240v, 50/60hz power :40W.
Light source :2 LED * 20W.
Shell color: black, white.
Control mode: voice control, self-walk,DMX512, exposure, Flicker, stroboscopic (stepless speed regulation)

JS-K038A/B



LED 80颗白光 / 彩色贴片频闪灯
LED 80 white light/color patch flashing lights
电源:AC90-240V,50/60Hz
功率:15W
光源:80颗 LED 3528
发光颜色: 红, 绿, 蓝, 白, 黄, 全彩色
外壳颜色: 白

Power supply: AC90-240 ~ v, 50/60 hz
Power: 15 w
Light source :80 LED 3528.
Luminous colors: red, green, blue, white, yellow, full color.
Shell color: white

JS-K039A/B



108颗 LED 单白 / 全彩频闪灯
108 LED single white/full color flashing lights
电源:AC90-240V,50/60Hz 功率:20W
光源:108颗 LED 5050
发光颜色: 红, 绿, 蓝, 粉, 金, 全彩色
外壳颜色: 白 (铁壳)

Power supply: ac90-240v, 50/60hz power :20W.
Light source :108 LED 5050.
Luminous colors: red, green, blue, powder, gold, full color.
Shell color: white (iron shell).

JS-K041A/B



LED 全彩 / 单白射灯
LED full color/single white spotlight

电压: AC 90-240V 50-60Hz
功率: 15W
发光颜色: 红, 绿, 蓝 / 红, 绿, 蓝, 白
外壳颜色: 黑, 白
光源: 4颗 3W LED灯珠 (RGBW)

Power: 15 w
Luminous colors: red, green, blue/red, green, blue, white.
Shell color: black, white.
Light source: 4 LED light beads (RGBW)

JS-K043A/B



12W LED 高清静止旋转广告投影灯
12W LED hd static rotating advertising projector lamp
电压: AC100-240V 50/60Hz
功率: 12W
光源: 12W 科锐 LED, 功能强大, 寿命长, 亮度高

Voltage: ac100-240v 50/60hz.
12 w power:
Light source: 12W sharp LED, powerful function, long life, high brightness.

JS-K045



50W LED 防水旋转广告投影灯
50W LED waterproof rotating advertising projector lamp.
电压: AC110-220V 50/60Hz
功率: 30W/50W
光源: LED
旋转: 图案原地 360 度旋转

Voltage: ac110-220v 50/60hz.
Power: 30 w / 50 w
LED light source:
Rotation: the pattern is rotated 360 degrees in place.

JS-K047



彩带
ribbon
本款灯带有 16 种颜色随心变换, 8 种动态模式
长时间固定一种颜色或者变化模式
配合音乐律动控制器根据节奏任意选择变色模式

The lamp has 16 colors and 8 dynamic modes.
Fixed a color or pattern for a long time.
Cooperate music rhythm controller to choose the color mode according to the rhythm.


JS-K049



KTV 专用点歌机
KTV dedicated karaoke machine
液晶类型: LED 可视 通讯协议: USB/COM
对角尺寸: 19 寸 /21.5 寸 电源输入: 12V 4A
可视区域: 40.5*25.5cm /47.5*26cm
触摸屏接口: RJ45 (网口)

LCD type: LED visual communication protocol: USB/COM.
Diagonal size: 19 "21.5" power input: 12V 4A.
Visual area: 40.5*25.5cm /47.5*26cm.
Touch screen interface: RJ45 (mesh)=

JS-K040



DMX 全彩 / 单白高亮射灯
DMX full color / single white highlight spotlight
电源:AC90-240V,50/60Hz
功率:15W-25W
发光颜色: 红, 绿, 蓝 / 红, 绿, 蓝, 白
外壳颜色: 黑, 白
控制: DMX512, 主从, 自走, 声控
通道: 7CH

Power supply: AC90-240 ~ v, 50/60 hz
Power: 15 ~ 25 w
Luminous colors: red, green, blue/red, green, blue, white.
Shell color: black, white.
Control: DMX512, master-slave, self-propelled, voice-activated.
Channel: 7 ch

JS-K042




反射玻璃球 (尺寸可定做)
Reflecting glass ball (size can be customized)

颜色: 银色、金色、红色、蓝色、绿色、彩色
功能: 舞台灯光、橱窗吧台装饰、庆典助兴

Colors: Silver, Gold, Red, Blue, Green, Color
Function: Stage lighting, window bar decoration, celebration and fun

JS-K044A/B/C/D



50/30w LED 高清遥控旋转广告投影灯
50/30w LED high definition remote control revolving advertising projector lamp
电压: AC110-220V 50/60Hz
功率: 50W
光源: LED
旋转: 图案原地 360 度旋转

Voltage: ac110-220v 50/60hz.
Power: 50 w
LED light source:
Rotation: the pattern is rotated 360 degrees in place.

JS-K046



单 12 寸全频音箱
Single 12-inch full-frequency speaker.

驱动器:LF:12X1,HF:1.75X1
频率响应:50Hz-18KHz
最大声压:123dB 额定功率:400W
峰值功率:900W 灵敏度:97dB
净重:23.5KG 尺寸:368X400X605mm

Displacement actuator: LF: 12 X1, HF: 1.75 X1
Frequency response: 50hz-18khz.
Maximum sound pressure :123dB rated power :400W.
Peak power :900W ling min :97dB.
Net weight :23.5KG :368X400X605mm.


JS-K048



KTV 专用防爆电视机
Explosion-proof TV for KTV
最佳观看距离: 3.5-4.0 米 (52 英寸)
视频显示格式: 2160p
分辨率: 4K
电视屏幕尺寸: 55 英寸 HDMI 接口数量: 2 个

Best viewing distance: 3.5 to 4.0 meters (52 inches)
Video display format: 2160p.
Resolution: 4K
TV screen size: 55-inch HDMI interface: 2.

JS-K050



KTV 专用沙发 (尺寸任意定制)
KTV sofa (size any customization)
纤维皮, 真皮, 布艺可任意定制

Fiber leather, leather, fabric can be customized.