







HOMOGENEOUS FLOORING

FOR PUBLIC PLACES

Amazing friction resistance,
Perfect choice for places with heavy stream of people,
Hospital, school, supermarket, office, action center...



NON-DIRECTIONAL HOMOGENEOUS FLOORING




Total Thickness: 2.0mm **Roll width×length:** 2m×20m (length can be customized)


NON-DIRECTIONAL HOMOGENEOUS FLOORING




HF-N2007




HF-N2008




HF-N2009



HF-N2011




HF-N2012




HF-N2013


NON-DIRECTIONAL HOMOGENEOUS FLOORING



HF-N2014







HF-N2015





HF-N2016

DIRECTIONAL HOMOGENEOUS FLOORING






Total Thickness: 2.0mm **Roll width×length:** 2m×20m (length can be customized)

DIRECTIONAL HOMOGENEOUS FLOORING



Total Thickness: 2.0mm **Roll width×length:** 2m×20m (length can be customized)

DIRECTIONAL HOMOGENEOUS FLOORING



Total Thickness: 2.0mm **Roll width×length:** 2m×20m (length can be customized)

Description	Standard	Unit	Result
Total thickness	EN 428	mm	2.0mm
Weight	EN 430	g/m ²	2850
Width	EN 426	cm	200
Length of sheet	EN 426	m	20

Classification	Standard	Result
Fire rating	EN 13501-1	Bf1
Toxic testing	GB 18586-2001	Good
Electrical resistance	EN 1081	10 ⁹ -10 ¹⁰ ohm
Slip resistance dry	EN 13893	≥ 0.3
Slip resistance wet	EN 51 130	R9

Performance	Standard	Unit	Result
Abrasion group	EN 649		P
Castor wheel test	EN 425		Suitable
Colour fastness	EN 20 105-B02		≥6
Chemical products resistance	EN 423		Good
Dimensional Stability	EN 434	%	≤ 0.04
Flexibility	EN 435		Excelient
Hygiene treatment	MRSA		Very good
Impact sound reduction	EN ISO 717/2		Approx.+4 dB
Indentation	EN 433	mm	≈ 0.05
Residual indentation	EN 433	mm	Approx.0.04 ≈ 0.04
Surface treatment	EN 12524		PUR



TopJoy Industrial Co.,Ltd.

Head Office Add/ Unit 603, Building 7, No. 2449, Jinhai Rd, Pudong New Area, Shanghai, China.

Factory Add/ Yujiang Industry Park, Yujiang Country, Yingtan City, Jiangxi Province China

Tel/ +86 21 39982788

Fax/ +86 21 39982785

Cell/ +86 18321907513

Email/ info@topjoygroup.com

WhatsApp/ +86 18321907513

Wechat/ TonyTopjoy