

## Ice Cream Machine



### Soft Ice Cream Machine

Twin Twist Flavors, Table Model, Gravity Freezer

#### 6225

**Dimension(LxWxH):** 553x653x957 mm  
**Hopper Capacity:** 12LX2  
**Cylinder:** 1.7L X2  
**Voltage:** 220V/50Hz  
**Power:** 2.4 Kw  
**Refrigerant:** R404a  
**Output:** 25 Liters/Hour 270cups/Hour  
 80g/cup at 24 degree  
**Beater Motor:** One, 1.25 HPx1  
**Main compressor:** One, 3150 BTU  
**N.W/G.W:** 155/170 kg  
**Packing size:** 500x770x890 mm



### Soft Ice Cream Machine

Twin Twist Flavors, Table Model, Gravity Freezer

#### 6245

**Dimension(LxWxH):** 553x792x954 mm  
**Hopper Capacity:** 12LX2  
**Cylinder:** 1.7L X2  
**Voltage:** 220V/50Hz  
**Power:** 3.5 Kw  
**Refrigerant:** R404a  
**Output:** 45 Liters/Hour 580cups/Hour  
 80g/cup at 24 degree  
**Beater Motor:** two, 1.25 HPx2  
**Main compressor:** two, 3650 BTUx2  
**N.W/G.W:** 195/212 kg  
**Packing size:** 625x935x1145 mm



### Soft Ice Cream Machine

Single Flavor, Floor Model Gravity Freezer

#### 6335

**Dimension(LxWxH):** 553x653x957 mm  
**Hopper Capacity:** 15.00 Liters with agitation mixer  
**Cylinder:** 3.20 Liters beater with blade knife  
**Voltage:** 380V/50Hz  
**Power:** 2.7Kw Computerized control system  
**Refrigerant:** R134a  
**Output:** 40 Liters/Hour 450cups/Hour  
 80g/cup at 24 degree  
**Beater Motor:** One, 1.25 HPx1  
**Main compressor:** One, 4800 BTU  
**N.W/G.W:** 148/163 kg  
**Packing size:** 500x770x890 mm



### Soft Ice Cream Machine

Twin Twist Flavors, Table Model, Gravity Freezer

#### 6240

**Dimension(LxWxH):** 553x653x1374 mm  
**Hopper Capacity:** 12.00 Litersx2  
**Cylinder:** 1.70 Litersx2  
**Voltage:** 220V, 50Hz, 1Ph  
**Power:** 2.7Kw Computerized control system  
**Refrigerant:** R134a  
**Output:** 40 Liters/Hour 290cups/Hour 80g/cup at 24 degree  
**Beater Motor:** One, 3650 BTU  
**Main compressor:** One compressor, 4800 BTU, R134a  
**N.W/G.W:** 163/178 kg  
**Packing size:** 650x780x1580 mm



### Granita Slush Dispenser & Milk Shaker

Single Flavor, table Model, Gravity Freezer,

#### 6430

**Dimension(LxWxH):** 414x619x731 mm  
**Voltage:** 220V, 50 Hz, 1Ph.  
**Power:** 1.5 Kw  
**Net Weight:** 85Kg,  
**Gross Weight:** 96Kg  
**Capacity:** 15 Liters/Hour 80cups/Hour  
 250ml/cup at 24 degree  
**Cylinder:** 3.80 Liters  
**Hopper:** 25.00 Liters  
**Beater Motor:** one, 1/3HP  
**Main compressor:** one, 5000 BTU, R404a  
**N.W/G.W:** 85/96kg  
**Packing size:** 465 x 750 x 900mm



### Frosty Swirl Machine

#### FS-1

**Dimension(LxWxH):** 340x575x971 mm  
**Voltage:** 220V, 50Hz, 1Ph.  
**Power:** 2.2 Kw  
**Beater Motor:** one, 1.25HP  
**N.W/G.W:** 76/89kg  
**Packing size:** 405x663x1030 mm

**Water connection:**  
 Water inlet connection is on back of chassis  
 Water drain connection is under the chassis

*Makes flavor rich milkshakes, smoothies and juice with ice cream, frozen yogurt, fresh fruits, nuts, cookies and more.*

## Ice Maker



### Ice Maker

#### IM-X890

**Voltage:** 220/50HZ  
**Capacity:** 890kg/24h  
**Power:** 4.059Kw  
**Storage Capacity:** 500kg  
**Refrigerant:** R404  
**Compressor:** France Tecumseh or US Cperland  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 1260x830x1950mm

#### IM-X665

**Voltage:** 220/50HZ  
**Capacity:** 665kg/24h  
**Power:** 3.064Kw  
**Storage Capacity:** 500kg  
**Refrigerant:** R404  
**Compressor:** France Tecumseh or US Cperland  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 1260x830x1780mm

#### IM-X445

**Voltage:** 220/50HZ  
**Capacity:** 445kg/24h  
**Power:** 2.313Kw  
**Storage Capacity:** 200kg  
**Refrigerant:** R404  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 760x830x1750mm



### Ice Maker

#### IM-X360

**Voltage:** 220/50HZ  
**Capacity:** 360kg/24h  
**Power:** 1.65Kw  
**Storage Capacity:** 200kg  
**Refrigerant:** R404  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling & Water Cooling  
**Dimension:** 760x830x1630mm

#### IM-X318

**Voltage:** 220/50HZ  
**Capacity:** 318kg/24h  
**Power:** 1.374Kw  
**Storage Capacity:** 200kg  
**Refrigerant:** R404  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 760x830x1580mm

#### IM-X227

**Voltage:** 220/50HZ  
**Capacity:** 227kg/24h  
**Power:** 0.95Kw  
**Storage Capacity:** 200kg  
**Refrigerant:** R404  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 760x830x1580mm



#### IM-X45

**Voltage:** 220/50HZ  
**Capacity:** 45kg/24h  
**Power:** 0.46Kw  
**Storage Capacity:** 15kg  
**Refrigerant:** R134  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling  
**Dimension:** 510x590x790mm

#### IM-X36

**Voltage:** 220/50HZ  
**Capacity:** 36kg/24h  
**Power:** 0.39Kw  
**Storage Capacity:** 15kg  
**Refrigerant:** R134  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling  
**Dimension:** 510x590x790mm



### Ice Maker

#### IM-X118

**Voltage:** 220/50HZ  
**Capacity:** 118kg/24h  
**Power:** 0.71Kw  
**Storage Capacity:** 45kg  
**Refrigerant:** R134  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 680x680x950mm

#### IM-X96

**Voltage:** 220/50HZ  
**Capacity:** 96kg/24h  
**Power:** 0.65Kw  
**Storage Capacity:** 45kg  
**Refrigerant:** R134  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 680x680x950mm

#### IM-X67

**Voltage:** 220/50HZ  
**Capacity:** 67kg/24h  
**Power:** 0.539Kw  
**Storage Capacity:** 45kg  
**Refrigerant:** R134  
**Compressor:** Aspera  
**Cooling Mode:** Air Cooling / Water Cooling  
**Dimension:** 680x680x950mm

## Ice crusher & Ice Blender



**Ice Flaker  
BV-HIF**  
Dimensions(LxWxH):  
422x402x745mm  
Voltage: 220V/50Hz  
Power: 0.18Kw  
Capacity: 120kg/h  
N.W/G.W: 48/59Kgs  
Packing Size: 500x400x850mm



**Ice Chopper  
BV-HIC1**  
Dimensions(LxWxH):  
430x160x260mm  
Voltage: 220V/50Hz  
Power: 0.18Kw  
Capacity: 120kg/h  
N.W/G.W: 12/15kgs  
Packing Size: 420x240x380mm



**Ice Chopper  
BV-HIC2**  
Dimensions(LxWxH):  
430x210x300mm  
Voltage: 220V/50Hz  
Power: 0.18Kw  
Capacity: 120kg/h  
N.W/G.W: 13/16kgs  
Packing Size: 440x250x350mm



**Ice Blender  
DF-102**  
Dimensions(LxWxH):  
450x230x200mm  
Volume: 2L  
Voltage: 110V or 220V  
Power: 1350W  
Packing size: 270x235x500mm



**Ice Blender  
DF-108**  
Dimensions(LxWxH):  
450x230x200mm  
Volume: 2L  
Voltage: 110V or 220V  
Power: 1350W  
Packing size: 270x235x500mm



**Ice Blender  
DF-109**  
Dimensions(LxWxH):  
450x230x200mm  
Volume: 2L  
Voltage: 110V or 220V  
Power: 1350W  
Packing size: 270x235x500mm



**Ice Blender  
DF-116**  
Dimensions(LxWxH):  
270x235x500mm  
Volume: 2L  
Voltage: 110V or 220V  
Power: 1500W  
Packing Size: 270x235x500mm



**Ice Blender  
DF-117**  
Dimensions(LxWxH):  
270x235x500mm  
Volume: 2L  
Voltage: 110V or 220V  
Power: 1500W  
Packing Size: 270x235x500mm



**Ice Blender  
BV-IB2.2L**  
Dimensions(LxWxH):  
330x320x558mm  
Volume: 2.2L  
Voltage: 220V /50Hz  
Power: 1250W  
Rotate speed: 28000rpm  
Weight/PC: 5.6Kg

Unlimited speed regulation  
mechanical type



**Ice Blender  
BY-9599Z**  
Voltage: 220~240v/110~120V  
Power: 1800W  
Rotate speed:12000~28000rpm  
Jug Capacity: 2.7L  
Carton size: 355\*290\*605mm  
With cover  
Micro computr control,  
different program and time  
to choose



## Chocolate Dispenser, Ice Cream Machine

### Hot Chocolate Dispenser

• Suitable for hot chocolate, tea, coffee, milk and mulled wine, etc.



**BV-MCHOCO5L**  
Dimensions(LxWxH): 410x280x465mm  
Volume: 5L  
Temperature: +85°C  
Voltage: 220V  
Power: 1000W  
N.W: 6.8 kgs



**BV-MCHOCO10L**  
Dimensions(LxWxH): 410x280x580mm  
Volume: 10L  
Temperature: +85°C  
Voltage: 220V  
Power: 1000W  
N.W: 7.5 kgs

### Soft Ice Cream Machine

• Suitable for making soft ice cream, slush, milk shake and other frozen drink.  
• With light canopy



**ICYM-M-1SC**  
Dimensions(LxWxH):  
307x469x697mm  
Volume: 1x6L  
Temperature: -7~0 °C  
Voltage: 220V/50Hz  
Power: 350 W  
N.W: 28 kgs



**ICYM-M-2SC**  
Dimensions(LxWxH):  
537x469x697mm  
Volume: 2x6L  
Temperature: -7~0 °C  
Voltage: 220V/50Hz  
Power: 600 W  
N.W: 50 kgs



### Juice Dispenser



**BV-DCD30**  
Dimensions(LxWxH):  
535x520x808 mm  
Volume: 30L  
Voltage: 220V/50Hz  
Current: 3.2A  
N.W: 32 kgs  
Cool Only



**BV-DCD8-4**  
Dimensions(LxWxH):  
520x400x680 mm  
Volume: 4x8 L  
Voltage: 220V/50Hz  
Current: 4.0 A  
N.W: 39 kgs  
Cool Only



## Slush Machine

### SLUSH MAKER

- 1.Compact and luxurious
- 2.Advanced electronic temperature controller with a digital display that indicated the temperature of the beverages.
- 3.High quality in compressor and wonderful working performance
- 4.LED light in illumination
- 5.304 stainless steel chassis and ABS panels
- 6.Food-grade high density polycarbonate bowl,healthy and environmental protection
- 7.Drip tray with flow indicator warning when full
- 8.Bowl and faucet easy to disassemble for quick cleaning and utmost hygiene



CE

#### BV-MS1

**Dimension(LxWxH):** 240x510x810mm  
**Voltage:** 220V/50Hz  
**Power:** 0.62Kw  
**Temperature:** -2~-4 °C  
**Capacity:**12L  
**N.W:** 24 kgs



CE

#### BV-MS2

**Dimension(LxWxH):** 470x510x810mm  
**Voltage:** 220V/50Hz  
**Power:** 0.86Kw  
**Temperature:** -2~-4 °C  
**Capacity:**2X12L  
**N.W:** 48 kgs



CE

#### BV-MS3

**Dimension(LxWxH):** 710x510x810mm  
**Voltage:** 220V/50Hz  
**Power:** 1.28 Kw  
**Temperature:** -2~-4 °C  
**Capacity:**3X12L  
**N.W:** 72 kgs



#### BV-DSL1

**Dimension(LxWxH):** 200x480x860mm  
**Voltage:** 220V/50Hz  
**Current:** 4.5A  
**Temperature:** -2~-4 °C  
**Capacity:**12L  
**N.W:** 31 kgs



#### BV-DSL2

**Dimension(LxWxH):** 400x480x860mm  
**Voltage:** 220V/50Hz  
**Current:** 7.0 A  
**Temperature:** -2~-4 °C  
**Capacity:**2X12L  
**N.W:** 46 kgs



#### BV-DSL3

**Dimension(LxWxH):** 600x480x860mm  
**Voltage:** 220V/50Hz  
**Current:** 8.4 A  
**Temperature:** -2~-4 °C  
**Capacity:**3X12L  
**N.W:** 65 kgs

## Juice Maker & Orange Juicer

### JUICE MAKER

#### Description

- High efficiency, easy to operate, can be used for many kinds of fruit and vegetable;
- Elegant and compact design, shells are made of aluminum alloy, food contact part made of stainless steel.



#### ZJ-1/ZJ-1A

Outer Spray Paint/Aluminium alloy polishing  
**Voltage:** 220V/50Hz  
**Power:** 0.55Kw  
**Motor speed:** 2800r/min  
**Cutting Disc Dia:** 136mm  
**Packing Size:** 450x400x530mm  
**N.W/G.W:** 27/34 kg

#### ZJ-145

Aluminium alloy polishing  
**Voltage:** 220V/50Hz  
**Power:** 0.55Kw  
**Motor speed:** 2800r/min  
**Cutting Disc Dia:** 145mm  
**Packing Size:** 450x400x530mm  
**N.W/G.W:** 27/34 kg

### AUTO ORANGE JUICER (series of juice extractor)



#### BV-GOJ4 CE

**Power supply:** 220V 50Hz/110V 60Hz  
**Power:** 120W  
**Size of orange:** 40-90mm(Diameter)  
**Output:** 20 Orange/min  
**Dimension(LxWxH):** 400Lx450Wx900H mm  
**Weight:** 55kg  
**Yield:** 40%-50%



#### BV-GOJ2 CE

**Power supply:** 220V 50Hz/110V 60Hz  
**Power:** 120W  
**Size of orange:** 40-90mm(Diameter)  
**Output:** 20 Orange/min  
**Dimension(LxWxH):** 400Lx300Wx600H mm  
**Weight:** 40kg  
**Yield:** 40%-50%



#### 2000C-4 CE

**Power supply:** 220V 50Hz/110V 60Hz  
**Power:** 120W  
**Size of orange:** 40-90mm(Diameter)  
**Output:** 20 Orange/min  
**Dimension(LxWxH):** 510Lx540Wx1620H mm  
**Weight:** 76kg  
**Yield:** 40%-50%



#### BV-GOJ5 CE

**Power supply:** 220V 50Hz/110V 60Hz  
**Power:** 120W  
**Size of orange:** 40-75mm(Diameter)  
**Output:** 20 Orange/min  
**Dimension(LxWxH):** 420Lx450Wx680H mm  
**Weight:** 43kg  
**Yield:** 40%-50%



#### BV-GOJ3 CE

**Power supply:** 220V 50Hz/110V 60Hz  
**Power:** 120W  
**Size of orange:** 40-90mm(Diameter)  
**Output:** 20 Orange/min  
**Dimension(LxWxH):** 400Lx300Wx780H mm  
**Weight:** 50kg  
**Yield:** 40%-50%  
**Remark:** 2000E-1 Plastic transparent face cover  
 2000E-3 Stainless steel steel face cover

## Juice Dispenser



**Juice Dispenser, Cold, Paddle Stirring System. One Bowl**

**BV-MJD1S**  
 Dimension: 230x430x640mm  
 Volume: 1x12L  
 Voltage: 220V/50Hz  
 Power: 211W  
 Net Weight: 22kg  
 Temperature: 3-8 °C  
 Packing Size: 340x550x720mm



**Juice Dispenser, Cold, Paddle Stirring System. Two Bowl**

**BV-MJD2S**  
 Dimension: 430x430x640mm  
 Volume: 2x12L  
 Voltage: 220V/50Hz  
 Power: 318W  
 Net Weight: 31.5kg  
 Temperature: 3-8 °C  
 Packing Size: 540x550x720mm



**Juice Dispenser, Cold, Paddle Stirring System. Three Bowl**

**BV-MJD3S**  
 Dimension: 630x430x640mm  
 Volume: 3x12L  
 Voltage: 220V/50Hz  
 Power: 412W  
 Net Weight: 39.5kg  
 Temperature: 3-8 °C  
 Packing Size: 740x550x720mm



**Juice Dispenser, Cold, Pump Spraying System. One Bowl**

**BV-MJD1P**  
 Dimension: 230x430x640mm  
 Volume: 1x12L  
 Voltage: 220V/50Hz  
 Power: 240W  
 Net Weight: 22kg  
 Temperature: 3-8 °C  
 Packing Size: 340x550x720mm



**Juice Dispenser, Cold, Pump Spraying System. Two Bowl**

**BV-MJD2P**  
 Dimension: 430x430x640mm  
 Volume: 2x12L  
 Voltage: 220V/50Hz  
 Power: 376W  
 Net Weight: 31.5kg  
 Temperature: 3-8 °C  
 Packing Size: 540x550x720mm



**Juice Dispenser, Cold, Pump Spraying System. Three Bowl**

**BV-MJD3P**  
 Dimension: 630x430x640mm  
 Volume: 3x12L  
 Voltage: 220V/50Hz  
 Power: 499W  
 Net Weight: 39.5kg  
 Temperature: 3-8 °C  
 Packing Size: 740x550x720mm



**Juice Dispenser, Cold, Pump+ Paddle System. Two Bowl**

**BV-MJD1SP**  
 Dimension: 430x430x640mm  
 Volume: 3x12L  
 Voltage: 220V/50Hz  
 Power: 347W  
 Net Weight: 31.5kg  
 Temperature: 3-8 °C  
 Packing Size: 540x550x720mm



**Juice Dispenser, Cold, Pump+ Paddle+ Pump System. Three Bowl**

**BV-MJD3PSP**  
 Dimension: 630x430x640mm  
 Volume: 3x12L  
 Voltage: 220V/50Hz  
 Power: 441W  
 Net Weight: 39.5kg  
 Temperature: 3-8 °C  
 Packing Size: 740x550x720mm



**Juice Dispenser, Cold, Paddle+ Pump+ Paddle System. Three Bowl**

**BV-MJD3SPS**  
 Dimension: 630x430x640mm  
 Volume: 3x12L  
 Voltage: 220V/50Hz  
 Power: 470W  
 Net Weight: 39.5kg  
 Temperature: 3-8 °C  
 Packing Size: 740x550x720mm

Color Option: Yellow, Green, White, Gray

## Coffee Machine & Coffee Grinder

### Coffee Machine

1. Professional copper exchange boiler system, keep the stable temperature and dry powerful steam
2. Brass brewing group, keep the stable temperature
3. With steam and pump pressure gauge.
4. Imported pump and flow meter. Keep stable water pressure and accurate flow.
5. Protection program set up for preventing machine from overheating without water
6. Digital pre-insulation system for classic espresso
7. Automatic water refill systems



**Semi-automatic Coffee Machine**

**BV-YCF12S**  
 Dimension (LxWxH): 600x600x580mm  
 Power: 3.5 Kw  
 Boiler capacity: 12L  
 Voltage: 220V, 50Hz  
 Capacity: 240 cup/h  
 Coffee Group: 2  
 Weight: 51Kgs  
 Certificate: CE



**Semi-automatic Coffee Machine**

**BV-YCF12L**  
 Dimension (LxWxH): 800x600x580mm  
 Power: 3.5 Kw  
 Boiler capacity: 12L  
 Voltage: 220V, 50Hz  
 Capacity: 240 cup/h  
 Coffee Group: 2  
 Weight: 56Kgs  
 Certificate: CE



**Coffee Grinder**

**HC-600**  
 Dimension (LxWxH): 330x210x560mm  
 Grinder pan diameter: 64mm  
 Bean tank capacity: 1.2Kgs  
 Grinding speed: 6-9Kgs/h  
 Coffee powder capacity: 250g  
 Coffee powder productivity: 5-10g/time  
 Power: 0.35Kw Weight: 15Kgs  
 Three Models: S, T, AD  
 1. International Certificate: ETL, GS, CE, NSF sanitation listed

### Coffee Grinder

1. Dual boiler system, one for producing steam and another for brewing coffee
2. Professional rotary pump
3. Automatic water refill system
4. Temperature is controlled by PID controller
5. Proprietary technology of brewing group, each cup produce a fantastic cream
6. The body is made of mirror finished stainless steel
7. Little and dainty size, which is not only for commercial use but also for household use



**Semi-automatic Coffee Machine**

**BV-YCF1**  
 Dimension (LxWxH): 280x450x540mm  
 Power: 2.4 Kw  
 Boiler capacity: 2x1.5L  
 Voltage: 220V, 50Hz  
 Capacity: 120 cup/h  
 Coffee Group: 1  
 Weight: 20Kgs  
 Certificate: CE



**Semi-automatic Coffee Machine**

**BV-YCF2**  
 Dimension (LxWxH): 280x450x540mm  
 Power: 2.4 Kw  
 Boiler capacity: 2x1.5L  
 Voltage: 220V, 50Hz  
 Capacity: 120 cup/h  
 Coffee Group: 1  
 Weight: 20Kgs  
 Certificate: CE



## Water & Coffee Boiler



**Coffee Machine  
BV-YCF**

Dimension: 219x419x478mm  
Power: 2Kw  
Voltage: 220-240V  
N/W: 5Kgs



**Coffee Boiler**

**BV-HCB6A**

Power: 230V/1150W/50hz  
110V/1150W/60hz  
Capacity: 6L  
N.W.:3.00kgs  
G.W.:4.00kgs  
Packing Size :300x300x480mm

**BV-HCB10A**

Power: 230V/1520W/50hz  
110V/1150W/60hz  
Capacity: 10L  
N.W.:3.88kgs  
G.W.:4.92kgs  
Packing Size :340x340x490mm

**BV-HCB15A**

Power:230V/1520W/50hz  
110V/1520W/60hz  
Capacity: 15L  
N.W.:4.42kgs  
G.W.:5.58kgs  
Packing size :340x340x600mm



**Water Boiler  
FF-ZWB8**

Dimension: 180x250x630mm  
Voltage: 220V/50Hz  
Power: 2Kw  
Capacity: 8L  
Temperature range: 50-100

**FF-ZWB17**

Dimension:180x250x770mm  
Voltage: 220V/50Hz  
Power: 3Kw  
Capacity: 17L  
Temperature range: 50-100



**Water Boiler  
FF-WB5**

Dimension: 233x450x462mm  
Voltage: 240V/50Hz  
Power: 3Kw  
Rapid Draw Off: 4L  
Recovery Per Minute: 0.5L

**FF-WB10**

Dimension: 282x530x600 mm  
Voltage: 240V/50Hz  
Power: 3Kw  
Rapid Draw Off: 10L  
Recovery Per Minute: 0.5L



**Water Boiler  
BV-HWB10A**

Power: 2000W/ 230V/ 50hz  
Capacity: 10L  
N.W.: 3.20kgs  
G.W.: 3.88kgs  
Packing size:  
290x290x405mm 0.03CBM



**Water Boiler  
BV-HWB15A**

Power: 2500W/ 230V/ 50hz  
Capacity: 15L  
N.W.: 3.48kgs  
G.W.: 4.26kgs  
Packing size:  
310x310x420mm 0.04CBM



**Water Boiler  
BV-HWB20A**

Power: 2500W/ 230V/ 50hz  
Capacity: 20L  
N.W.: 3.85kgs  
G.W.: 4.80kgs  
Packing size:  
310x310x523mm 0.05CBM



**Water Boiler  
BV-HWB30A**

Power: 3000W/ 230V/ 50hz  
Capacity: 30L  
N.W.: 4.65kgs  
G.W.: 5.78kgs  
Packing size:390x390x420 mm  
0.06CBM

## Spiral Potato Slicer

### SPIRAL POTATO SLICER (Manual Style)



**INSP-1**

Professional Cutting: Spiral Type  
Vegetable can be cut: Potato, Sweet Potato, Carrot, etc.  
Material: 304# Stainless Steel  
Slicer time: 7 Seconds for each potato  
Dimension(LxWxH): 370x125x173 mm  
Package Size: 390x145x193 mm  
N.W: 2 Kgs

**INSP-1B**

2 Types of Cutting: Spiral Type, Ribbon Type  
Vegetable can be cut: Potato, Sweet Potato, Carrot, Onion, Cucumber, etc.  
Material: 304# Stainless Steel  
Slicer time: 7 Seconds for each potato  
Dimension(LxWxH): 370x125x173 mm  
Package Size: 390x145x193 mm  
N.W: 2 Kgs

Spare Parts: 1 more blade, 1 piece of INEO bodkin



**INSP-3B**

2 Types of Cutting: Spiral Type, Ribbon Type  
Vegetable can be cut: Potato, Sweet Potato, Carrot, Onion, Cucumber, etc.  
Slicer time: 5 Seconds for each potato  
Voltage: 220 V/50 Hz,60Hz, 110V/60 Hz  
Power: 40W  
Dimension(LxWxH): 500x225x220 mm  
Package Size: 440x170x170 mm  
N.W: 6.4 Kgs



**INEO Bodkin**

Material: Stainless Steel  
Size: 230 mm length  
Function: It is easier to make a hole into potato instead of bamboo stick.

Spare Parts: 1 more blade, 1 piece of INEO bodkin

Spare Parts: 1 more blade, 1 piece of INEO bodkin



## Crepe, Hamburger, Sandwich, Meat Patty Machine, Fruit Cutter



**Crepe Maker**  
**FF-XCMD**  
Dimension: Φ 400×200 mm  
Baking Diameter: 400 mm  
Power: 3 Kw, 220-240 V  
N/W: 20 Kgs



**Crepe Maker (1 Burner)**  
**FF-XCM1**  
Dimension: 450×485×240 mm  
Baking Diameter: 400 mm  
Power: 3 Kw, 220-240 V  
N/W: 23 Kgs

• Stainless steel body, equipped with round hot plate burner with a diameter of 400 mm, equipped with a drawer type warmer at the bottom part.



**Crepe Maker (2 Burners)**  
**FF-XCM2**  
Dimension: 860×485×240 mm  
Baking Diameter: 400 mm  
Power: 6 Kw, 220-240 V  
N/W: 42 Kgs



**Hamburger Machine**  
**FF-XHM2**  
Dimension(LxWxH): 406×660×290 mm  
Power: 2.4 Kw, 220-240 V  
N/W: 28 Kgs

Stainless steel body, precise temperature control, temperature regulation and timing function.



**Sandwich Maker**  
**FF-XSG**  
Dimension(LxWxH): 450×370×220 mm  
Power: 2.5 Kw, 220-240 V  
N/W: 20 Kgs

Stainless steel body, precise temperature control, temperature regulation and timing function.



**Sandwich Maker**  
**B-SG2**  
Dimension(LxWxH): 570×305×210 mm  
Power: 3.6 Kw, 220-240 V  
Upper Plate Size: 2×214×214mm  
Bottom Plate Size: 2×475×230mm  
N/W: 29 Kgs



**Meat Patty Machine**  
**FP-HHM1**  
Dimension(LxWxH): 235×230×275 mm  
Dia.: 100mm  
N/W: 5.24 Kgs



**Meat Patty Machine**  
**FP-HHM2**  
Dimension(LxWxH): 245×210×280 mm  
Dia.: 130mm  
N/W: 5.62 Kgs



**Fruit Cutter**  
**FP-HVCM1**  
Dimension(LxWxH): 430×200×195 mm  
Packing Size: 448×218×227mm  
N/W: 5.18 Kgs  
G/W: 5.8 Kgs



**Fruit Cutter**  
**FP-HVCM2**  
Dimension(LxWxH): 430×200×195 mm  
Packing Size: 448×218×227mm  
N/W: 4.92 Kgs  
G/W: 5.54 Kgs

## Waffle Maker & Hot Dog Machine

### WAFFLE MAKER

- Stainless steel body with a unique oven diameter of 178 mm.
- With temperature control and time control function.



**(1/2 Burner)**  
**FF-XWM1**  
Dimension(LxWxH): 250×380×300 mm  
Baking Diameter: 178 mm  
Power: 1 Kw, 220-240 V  
N/W: 8 Kgs

**FF-XWM2**  
Dimension(LxWxH): 500×380×300 mm  
Baking Diameter: 178 mm  
Power: 2 Kw, 220-240 V  
N/W: 17 Kgs



**FF-XEM**  
Dimension(LxWxH): 255×440×320 mm  
Power: 1 Kw, 220-240 V  
Temperature Range: 124-230 °C  
Time Setting Range: 99 minutes 59 seconds to 00 minutes 00 seconds  
Template can be rotated to 180°  
N/W: 11 Kgs



**FF-HHD1**  
Dimension(LxWxH): 575×340×430 mm  
Power: 0.3 Kw, 220-240V/50Hz  
N/W: 9.96 Kgs  
G/W: 11.54

### ROLLING HOT DOG GRILL

#### Description

- Stainless steel polished rollers, shiny and good looking
- Optional cover can be supplied for your demands



**FF-XHD**  
Dimension(LxWxH): 580×380×180 mm  
Power: 1.2 Kw, 220-240 V  
N/W: 10 Kgs  
• Stainless steel structures, high efficiency heating elements, temperature control function, shiny and good looking



**(5 rollers)**

**FF-XHD5C**  
Dimension(LxWxH): 580×225×225 mm  
Power: 0.4 Kw, 220-240V  
One thermostat controls 5 rollers



**(7 rollers)**

**FF-XHD7C**  
Dimension(LxWxH): 580×305×225 mm  
Power: 0.56 Kw, 220-240V  
Two thermostats controls front 4 rollers and back 3 rollers respectively



**(9 rollers)**

**FF-XHD9C**  
Dimension(LxWxH): 580×385×225 mm  
Power: 0.72 Kw, 220-240V  
Two thermostats controls front 5 rollers and back 4 rollers respectively



**(11 rollers)**

**FF-XHD11C**  
Dimension(LxWxH): 580×465×225 mm  
Power: 0.88 Kw, 220-240V  
Two thermostats controls front 6 rollers and back 5 rollers respectively