

wxhy<sup>®</sup>

Since 2000

**Wuxi Xishan Huanyu Metal Hose Co.,Ltd**



Address: 5Hanlin Rd Ehu Town Wuxi City Jiangsu Province China

Tel: +86-510-88751037, +86-510-82101158, +86-510-88751879

Fax: +86-510-88751857

Email: wxhy@huanyu-hose.com, info@huanyu-hose.com


Web: www.wxhy-exhaust.com, www.huanyu-hose.com



[www.wxhy-exhaust.com](http://www.wxhy-exhaust.com)

WUXI XISHAN HUANYU METAL HOSE CO.,LTD





wxhy®

Our company was rated as a high-tech enterprise.

2017

2016

Acquiring advanced equipment (laser cutting machine).

Workshop areas were expanded to 10000 square meters,producing 200000 pcs every month.

2013

2009

Obtaining ISO/TS1 6949 certification,and completed 4 production lines,manufacturing 1 million pieces annually.

Enlarging the production scale,workshop covers 6000 m² and hired 60 employees.

2008

2005

Acquiring the right of import and export,sales team was expanded and sales volume reached to USD 1.6 million.

New technology was applied to production lines.


2004

2003

Total employees increased from 3 to 12.Total sales raised from USD 50,000 in 2001 to USD 350,000

Establishment of the company,Building of the workshop ,mainly market is in domestic.

2000



## Wuxi Xishan Huanyu Metal Hose Co.,Ltd

is a specialized and leading manufacturer of Exhaust Flexible Pipe.Established in 2000,with the development of auto aftermarket in domestic and abroad,we are now exporting about 90% out of total capacity to overseas countries.

Our workshop covers 12000 square meters,with 150 skilled workers,advanced equipments and professional sales team.After continuous efforts,our products have gained good reputation in North America,Europe,Middle east,South-east Asia etc,currenty,our annual export amount beyond USD 8 million. With great passion and insistent dedication,we now have passed the certificate of ISO9001 and TS16949.

Our target is to provide premium quality products,competitive market price and better service to out customers.Four points always bear in our mind:Professionalism,Responsibility,Integrity and communication,that's the key to build Win-Win cooperation with worldwide partners.




### Flexible pipe without inner braid (HY)



Double layers bellow: SS201 or SS304  
Outer braid: SS201 or SS304  
Cap: Stainless steel or aluminized

Inner diameter: 1"~6" (25mm~152mm)  
Total length: 4"~12.5" (102mm~320mm)  
Or customized sizes



Without inner braid


PART NO.	SIZE (INCH)	SIZE (MM)
HY15004	1-1/2x4	38x102
HY15006	1-1/2x6	38x152
HY15008	1-1/2x8	38x203
HY15010	1-1/2x10	38x254
HY17504	1-3/4x4	45x102
HY17506	1-3/4x6	45x152
HY17508	1-3/4x8	45x203
HY17510	1-3/4x10	45x254
HY20004	2x4	51x102
HY20006	2x6	51x152
HY20008	2x8	51x203
HY20010	2x10	51x254
HY22504	2-1/4x4	57x102
HY22506	2-1/4x6	57x152
HY22508	2-1/4x8	57x203
HY22510	2-1/4x10	57x254
HY23604	2-9/25x4	60x102
HY23606	2-9/25x6	60x152
HY23608	2-9/25x8	60x203
HY23610	2-9/25x10	60x254
HY25004	2-1/2x4	63.5x102
HY25006	2-1/2x6	63.5x152
HY25008	2-1/2x8	63.5x203
HY25010	2-1/2x10	63.5x254
HY30004	3x4	76x102
HY30006	3x6	76x152
HY30008	3x8	76x203
HY30010	3x10	76x254
HY35004	3-1/2x4	89x102
HY35006	3-1/2x6	89x152
HY35008	3-1/2x8	89x203
HY35010	3-1/2x10	89x254
HY40004	4x4	102x102
HY40006	4x6	102x152
HY40008	4x8	102x203
HY40010	4x10	102x254
HY50004	5x4	127x102
HY50006	5x6	127x152
HY50008	5x8	127x203
HY50010	5x10	127x254
HY60004	6x4	152x102
HY60006	6x6	152x152
HY60008	6x8	152x203
HY60010	6x10	152x254

### Flexible pipe with inner braid (HYB)



Double layers bellow: SS201 or SS304  
Innerbraid: SS201 or SS304  
Outer braid: SS201 or SS304  
Cap: Stainless steel or aluminized

Inner diameter: 1"~6" (25mm~152mm)  
Total length: 4"~12.5" (102mm~320mm)  
Or customized sizes



With inner braid

PART NO.	SIZE (INCH)	SIZE (MM)
HY15004B	1-1/2x4	38x102
HY15006B	1-1/2x6	38x152
HY15008B	1-1/2x8	38x203
HY15010B	1-1/2x10	38x254
HY17504B	1-3/4x4	45x102
HY17506B	1-3/4x6	45x152
HY17508B	1-3/4x8	45x203
HY17510B	1-3/4x10	45x254
HY20004B	2x4	51x102
HY20006B	2x6	51x152
HY20008B	2x8	51x203
HY20010B	2x10	51x254
HY22504B	2-1/4x4	57x102
HY22506B	2-1/4x6	57x152
HY22508B	2-1/4x8	57x203
HY22510B	2-1/4x10	57x254
HY23604	2-9/25x4	60x102
HY23606	2-9/25x6	60x152
HY23608	2-9/25x8	60x203
HY23610	2-9/25x10	60x254
HY25004B	2-1/2x4	63.5x102
HY25006B	2-1/2x6	63.5x152
HY25008B	2-1/2x8	63.5x203
HY25010B	2-1/2x10	63.5x254
HY30004B	3x4	76x102
HY30006B	3x6	76x152
HY30008B	3x8	76x203
HY30010B	3x10	76x254
HY35004B	3-1/2x4	89x102
HY35006B	3-1/2x6	89x152
HY35008B	3-1/2x8	89x203
HY35010B	3-1/2x10	89x254
HY40004B	4x4	102x102
HY40006B	4x6	102x152
HY40008B	4x8	102x203
HY40010B	4x10	102x254
HY50004B	5x4	127x102
HY50006B	5x6	127x152
HY50008B	5x8	127x203
HY50010B	5x10	127x254
HY60004B	6x4	152x102
HY60006B	6x6	152x152
HY60008B	6x8	152x203
HY60010B	6x10	152x254



### Flexible pipe with interlock (HYK)

### Flexible pipe without inner braid with nipple (HYN)




Double layers bellow: SS201 or SS304  
 Interlock: SS201 or SS 304  
 Outer braid: SS201 or SS304  
 Cap: Stainless steel or aluminized


Double layers bellow: SS201 or SS304  
 Outer braid: SS201 or SS304  
 Cap: Stainless steel or aluminized  
 Nipple: Aluminized or polished

Inner diameter: 1"~6" (25mm~152mm)  
 Total length: 4"~12.5" (102mm~320mm)  
 Or customized sizes

Inner diameter: 1"~6" (25mm~152mm)  
 Total length: 8"~16.5" (203mm~420mm)  
 Or customized sizes



With interlock



With nipple (extension tube)

PART NO.	SIZE (INCH)	SIZE (MM)
HY15004K	1-1/2x4	38x102
HY15006K	1-1/2x6	38x152
HY15008K	1-1/2x8	38x203
HY15010K	1-1/2x10	38x254
HY17504K	1-3/4x4	45x102
HY17506K	1-3/4x6	45x152
HY17508K	1-3/4x8	45x203
HY17510K	1-3/4x10	45x254
HY20004K	2x4	51x102
HY20006K	2x6	51x152
HY20008K	2x8	51x203
HY20010K	2x10	51x254
HY22504K	2-1/4x4	57x102
HY22506K	2-1/4x6	57x152
HY22508K	2-1/4x8	57x203
HY22510K	2-1/4x10	57x254
HY23604K	2-9/25x4	60x102
HY23606K	2-9/25x6	60x152
HY23608K	2-9/25x8	60x203
HY23610K	2-9/25x10	60x254
HY25004K	2-1/2x4	63.5x102
HY25006K	2-1/2x6	63.5x152
HY25008K	2-1/2x8	63.5x203
HY25010K	2-1/2x10	63.5x254
HY30004K	3x4	76x102
HY30006K	3x6	76x152
HY30008K	3x8	76x203
HY30010K	3x10	76x254
HY35004K	3-1/2x4	89x102
HY35006K	3-1/2x6	89x152
HY35008K	3-1/2x8	89x203
HY35010K	3-1/2x10	89x254
HY40004K	4x4	102x102
HY40006K	4x6	102x152
HY40008K	4x8	102x203
HY40010K	4x10	102x254
HY50004K	5x4	127x102
HY50006K	5x6	127x152
HY50008K	5x8	127x203
HY50010K	5x10	127x254
HY60004K	6x4	152x102
HY60006K	6x6	152x152
HY60008K	6x8	152x203
HY60010K	6x10	152x254

PART NO.	SIZE (INCH)	SIZE (MM)
HY15004N	1-1/2x4-8	38x102-203
HY15006N	1-1/2x6-10	38x152-254
HY15008N	1-1/2x8-12	38x203-305
HY15010N	1-1/2x10-14	38x254-356
HY17504N	1-3/4x4-8	45x102-203
HY17506N	1-3/4x6-10	45x152-254
HY17508N	1-3/4x8-12	45x203-305
HY17510N	1-3/4x10-14	45x254-356
HY20004N	2x4-8	51x102-203
HY20006N	2x6-10	51x152-254
HY20008N	2x8-12	51x203-305
HY20010N	2x10-14	51x254-356
HY22504N	2-1/4x4-8	57x102-203
HY22506N	2-1/4x6-10	57x152-254
HY22508N	2-1/4x8-12	57x203-305
HY22510N	2-1/4x10-14	57x254-356
HY23604N	2-9/25x4-8	60x102-203
HY23606N	2-9/25x6-10	60x152-254
HY23608N	2-9/25x8-12	60x203-305
HY23610N	2-9/25x10-14	60x254-356
HY25004N	2-1/2x4-8	63.5x102-203
HY25006N	2-1/2x6-10	63.5x152-254
HY25008N	2-1/2x8-12	63.5x203-305
HY25010N	2-1/2x10-14	63.5x254-356
HY30004N	3x4-8	76x102-203
HY30006N	3x6-10	76x152-254
HY30008N	3x8-12	76x203-305
HY30010N	3x10-14	76x254-356
HY35004N	3-1/2x4-8	89x102-203
HY35006N	3-1/2x6-10	89x152-254
HY35008N	3-1/2x8-12	89x203-305
HY35010N	3-1/2x10-14	89x254-356
HY40004N	4x4-8	102x102-203
HY40006N	4x6-10	102x152-254
HY40008N	4x8-12	102x203-305
HY40010N	4x10-14	102x254-356
HY50004N	5x4-8	127x102-203
HY50006N	5x6-10	127x152-254
HY50008N	5x8-12	127x203-305
HY50010N	5x10-14	127x254-356
HY60004N	6x4-8	152x102-203
HY60006N	6x6-10	152x152-254
HY60008N	6x8-12	152x203-305
HY60010N	6x10-14	152x254-356




### Flexible pipe with inner braid with nipple (HYBN)



Inner braid lined

Double layers bellow: SS201 or SS304  
 Innerbraid: SS201 or SS304  
 Outer braid: SS201 or SS304  
 Cap: Stainless steel or aluminized  
 Nipple: Aluminized or polished

Inner diameter: 1"~6" (25mm~152mm)  
 Total length: 8"~16.5" (203mm~420mm)  
 Or customized sizes



With nipple (extension tube)

PART NO.	SIZE (INCH)	SIZE (MM)
HY15004BN	1-1/2x4-8	38x102-203
HY15006BN	1-1/2x6-10	38x152-254
HY15008BN	1-1/2x8-12	38x203-305
HY15010BN	1-1/2x10-14	38x254-356
HY17504BN	1-3/4x4-8	45x102-203
HY17506BN	1-3/4x6-10	45x152-254
HY17508BN	1-3/4x8-12	45x203-305
HY17510BN	1-3/4x10-14	45x254-356
HY20004BN	2x4-8	51x102-203
HY20006BN	2x6-10	51x152-254
HY20008BN	2x8-12	51x203-305
HY20010BN	2x10-14	51x254-356
HY22504BN	2-1/4x4-8	57x102-203
HY22506BN	2-1/4x6-10	57x152-254
HY22508BN	2-1/4x8-12	57x203-305
HY22510BN	2-1/4x10-14	57x254-356
HY23604BN	2-9/25x4-8	60x102-203
HY23606BN	2-9/25x6-10	60x152-254
HY23608BN	2-9/25x8-12	60x203-305
HY23610BN	2-9/25x10-14	60x254-356
HY25004BN	2-1/2x4-8	63.5x102-203
HY25006BN	2-1/2x6-10	63.5x152-254
HY25008BN	2-1/2x8-12	63.5x203-305
HY25010BN	2-1/2x10-14	63.5x254-356
HY30004BN	3x4-8	76x102-203
HY30006BN	3x6-10	76x152-254
HY30008BN	3x8-12	76x203-305
HY30010BN	3x10-14	76x254-356
HY35004BN	3-1/2x4-8	89x102-203
HY35006BN	3-1/2x6-10	89x152-254
HY35008BN	3-1/2x8-12	89x203-305
HY35010BN	3-1/2x10-14	89x254-356
HY40004BN	4x4-8	102x102-203
HY40006BN	4x6-10	102x152-254
HY40008BN	4x8-12	102x203-305
HY40010BN	4x10-14	102x254-356
HY50004BN	5x4-8	127x102-203
HY50006BN	5x6-10	127x152-254
HY50008BN	5x8-12	127x203-305
HY50010BN	5x10-14	127x254-356
HY60004BN	6x4-8	152x102-203
HY60006BN	6x6-10	152x152-254
HY60008BN	6x8-12	152x203-305
HY60010BN	6x10-14	152x254-356


### Flexible pipe with interlock with nipple (HYKN)



Interlock lined

Double layers bellow: SS201 or SS304  
 Interlock: SS201 or SS304  
 Outer braid: SS201 or SS304  
 Cap: Stainless steel or aluminized  
 Nipple: Aluminized or polished

Inner diameter: 1"~6" (25mm~152mm)  
 Total length: 8"~16.5" (203mm~420mm)  
 Or customized sizes




With nipple (extension tube)

PART NO.	SIZE (INCH)	SIZE (MM)
HY15004KN	1-1/2x4-8	38x102-203
HY15006KN	1-1/2x6-10	38x152-254
HY15008KN	1-1/2x8-12	38x203-305
HY15010KN	1-1/2x10-14	38x254-356
HY17504KN	1-3/4x4-8	45x102-203
HY17506KN	1-3/4x6-10	45x152-254
HY17508KN	1-3/4x8-12	45x203-305
HY17510KN	1-3/4x10-14	45x254-356
HY20004KN	2x4-8	51x102-203
HY20006KN	2x6-10	51x152-254
HY20008KN	2x8-12	51x203-305
HY20010KN	2x10-14	51x254-356
HY22504KN	2-1/4x4-8	57x102-203
HY22506KN	2-1/4x6-10	57x152-254
HY22508KN	2-1/4x8-12	57x203-305
HY22510KN	2-1/4x10-14	57x254-356
HY23604KN	2-9/25x4-8	60x102-203
HY23606KN	2-9/25x6-10	60x152-254
HY23608KN	2-9/25x8-12	60x203-305
HY23610KN	2-9/25x10-14	60x254-356
HY25004KN	2-1/2x4-8	63.5x102-203
HY25006KN	2-1/2x6-10	63.5x152-254
HY25008KN	2-1/2x8-12	63.5x203-305
HY25010KN	2-1/2x10-14	63.5x254-356
HY30004KN	3x4-8	76x102-203
HY30006KN	3x6-10	76x152-254
HY30008KN	3x8-12	76x203-305
HY30010KN	3x10-14	76x254-356
HY35004KN	3-1/2x4-8	89x102-203
HY35006KN	3-1/2x6-10	89x152-254
HY35008KN	3-1/2x8-12	89x203-305
HY35010KN	3-1/2x10-14	89x254-356
HY40004KN	4x4-8	102x102-203
HY40006KN	4x6-10	102x152-254
HY40008KN	4x8-12	102x203-305
HY40010KN	4x10-14	102x254-356
HY50004KN	5x4-8	127x102-203
HY50006KN	5x6-10	127x152-254
HY50008KN	5x8-12	127x203-305
HY50010KN	5x10-14	127x254-356
HY60004KN	6x4-8	152x102-203
HY60006KN	6x6-10	152x152-254
HY60008KN	6x8-12	152x203-305
HY60010KN	6x10-14	152x254-356




## Interlock pipe (HYS)



Material: Galvanized, SS201, SS304

Section: polygon or circle  
 Stainless steel (heat resistance up to 900 degree)  
 High strength  
 Mechanical shock resistance and pressure  
 Good air-tightness  
 High flexibility  
 Absorb X,Y movement



PART NO.	ID (INCH)	ID (MM)	OD (MM)	THICKNESS
HYS0100	1	25.4	28.6	0.25
HYS0114	1-1/4	31.75	34.95	0.25
HYS0112	1-1/2	38.1	41.3	0.25
HYS0158	1-5/8	41.28	44.48	0.25
HYS0134	1-3/4	44.25	47.65	0.25
HYS0178	1-7/8	47.63	50.83	0.25
HYS0200	2	50.8	54	0.25
HYS0218	2-1/8	53.98	57.18	0.25
HYS0214	2-1/4	57.15	60.35	0.25
HYS0238	2-3/8	60.33	63.53	0.25
HYS0212	2-1/2	63.5	66.7	0.25
HYS0234	2-3/4	69.85	73.05	0.35
HYS0300	3	76.2	79.4	0.35
HYS0318	3-1/8	79.38	83.38	0.35
HYS0312	3-1/2	88.9	92.9	0.35
HYS0400	4	101.6	105.6	0.35
HYS0418	4-1/8	104.78	108.78	0.35
HYS0414	4-1/4	107.95	111.95	0.35
HYS0438	4-3/8	111.13	115.13	0.35
HYS0412	4-1/2	114.3	118.3	0.35
HYS0434	4-3/4	120.65	124.65	0.35
HYS0500	5	127	131	0.35
HYS0512	5-1/2	139.7	143.7	0.35
HYS0600	6	152.4	156.4	0.35
HYS0800	8	203.2	207.2	0.35
HYS1000	10	254	258	0.35
HYS1200	12	304.8	308.8	0.35

## Other series

all products can be customized sizes



HY-C



HY-O



HY-D



HY-W



HY-M



HY-N



HY-E1



HY-E2



HY-T1



HY-T2



HY-T3



HY-I1





HY-I2



HY-I3



HY-I4



HY-I5



HY-I6



Clamp1



Clamp2



Clamp3



Clamp4



Gasket1



Gasket2



HY-BF1




HY-BF2




HY-BF3



HY-BF4




HY-BF5



HY-BF6



HY-BF7



HY-BF8



HY-BF9



HY-BF10



Work Shop

