

SUKORUN



地址：厦门市五缘湾湖里高新技术园区宏益华府1号商务楼604
 Room 604 Commerce Building No.1 HongyihuaFu, Huli
 TechnologyPark CBD, WuyuanBay, Xiamen, China
 电话/TEL:+86-592-5521214 传真/FAX:+86-592-5516944
<http://sukorun.en.alibaba.com/>
<http://www.sukorun.com/>

中衡联（厦门）机电有限公司
 Sukorun (Xiamen) Electricity and Machinery Co.,Ltd



SUKORUN

Brief Introduction

Sukorun (Xiamen) Electricity and Machinery Co., Ltd has commenced full business operations in 2005 as an International Trade Company. We are a professional integrated bus spare parts supplier. And over the years, we have established a good and health business relationship with customers in India, Malaysia, Philippines, Vietnam, Hungary, Algeria, Syria.

We have cooperative factories to work together for some items, such as bus toilet, bus rear view mirror, bus floor matting, bus lamp etc. For this business field, we also help some foreign bus manufacturers in this field, gaining a good reputation in this field.

Meanwhile, we also can do the business of CKD bus parts export. We order the parts from OEM factory of King Long, Yutong, Golden Dragon and Higer directly. We can supply you the parts with high quality and reasonable price in a quick delivery time. You can visit our website (www.sukorun.com) to know more about our company and products.

Every inquiry is welcome. We treasure each encounter and offer with the best quality and the most professional service all the time.



SCR After Treatment System Parts



Cummins 2894940
NOX Sensor



Cummins 2872297
NOX Sensor



5WK9 6756
NOX Sensor



Cummins 4999800
Urea Nozzle Assy



Cummins 4936201
Urea Nozzle Assy



Bosch 0 444 043
016 Urea Nozzle



Adblue Tank
Assy 1.6L



Adblue Tank
Assy 5.0L



Adblue Tank
Assy 3.5L



Collant Level and Temperature Sensor



Collant Heating Control Solenoid Valve



Air filter AS2474 Assy



Bosch Injector 0 445 120 070



Bosch Plunger 0 986 AD3 951



Yuchai Injector 592G4700-A38



SCR Front&Rear Temperature Sensor



Hussman Connector for Nox sensor



Urea Pipe and Connector



Cummins Fuel Injection Pump C3973228



Holset Turbo Charger 4045213



Yuchai Turbo charger J4200-1118100-502



Cummins Urea Dosing Pump 4931694



Bosch Urea Dosing Pump 8 444 606 536



Yuchai Urea Dosing Pump L4400-1205350A



Cummins Air Compressor C3978805



Kinglong Power steering Pump 234500040



Cummins Pistion 4987914



SCR Catalyst Muffler 5262533



SCR Catalyst Muffler 5255710



Catalyst Muffler for CNG Engine



Prestolite Starter M105R30385E



Prestolite AC Alternator 85C3238VC



Alternator JFZ28016A-101



Kinglong Angle Drive 3 Speed



Yutong Angle Drive 3 speed



Angle Drive Shaft 460



Yuchai Clutch Disc Q25LA-1600740A



SACHS Clutch plate 233482124549



Clutch Bearing 1096 302 076



Corpco Shock Absorber 90045500



WABCO Solenoid Valve 472 900 056 0



Air Condenser Dryer 35MA1-50030-SL



29090



29174



29137



29125



29202



WVA29087 sample



WVA29244 适用于2010年后的奔驰ACTROS




WVA29246 适用于2010年后的奔驰ACTROS

WVA29087		WVA29087		WVA29087	
Part No.	Part Name	Part No.	Part Name	Part No.	Part Name
29090	FRONT BRAKE PAD	29174	FRONT BRAKE PAD	29137	FRONT BRAKE PAD
29125	FRONT BRAKE PAD	29202	FRONT BRAKE PAD	WVA29087	FRONT BRAKE PAD
WVA29244	FRONT BRAKE PAD	WVA29246	FRONT BRAKE PAD		

Brake Pad

WVA29087 29090 29174 29137 29125 29202

Part No.	Part Name	Part No.	Part Name	Part No.	Part Name
29090	FRONT BRAKE PAD	29174	FRONT BRAKE PAD	29137	FRONT BRAKE PAD
29125	FRONT BRAKE PAD	29202	FRONT BRAKE PAD	WVA29087	FRONT BRAKE PAD
WVA29244	FRONT BRAKE PAD	WVA29246	FRONT BRAKE PAD		



Bus Digital Clock




Tire Pressure Monitoring System



Bus LCD/LED Monitor



Bus Lamps



Bus Lamps



Bus Wind Outlet & Emergency Exit



Bus curtain & bus sunvisor



Rearview mirror



AC parts



Safety Hammer & Bus handle



Bus Toilet



型号 Model	612561457 豪华中位厕
产品尺寸(L*W*H) Product Size (L*W*H)	1040mm*910mm*2050mm
冲厕器 Toilet Seat	非式冲厕
马桶盖 Toilet Seat Cover	自动
冲厕方式 Flushion Method	Embedded board or Side Board
冲厕功能 Function of Using	有
洗手功能 Function of Hand Washing	手动操作/感应操作
冲厕系统 Electrical System	手动/自动
水箱材料 Water Tank Material	PEFRP
水箱容量(L) Capacity of Water Tank (L)	126.7
水箱容量(L) Capacity of Waste Tank (L)	109.25
额定电压(V) Rated Voltage (V)	24V
额定功率(W) Normal Service Power (W)	160
额定电流(A) Rated Current (A)	10
工作压力(MPa) Normal Working Pressure (MPa)	0.5-0.6
耗水量(L) Water Consumption per flushings	0.5



型号 Model	612761256 豪华中位厕
产品尺寸(L*W*H) Product Size (L*W*H)	1040mm*910mm*1870mm
冲厕器 Toilet Seat	非式冲厕
马桶盖 Toilet Seat Cover	自动
冲厕方式 Flushion Method	Embedded board or Side Board
冲厕功能 Function of Using	有
洗手功能 Function of Hand Washing	手动操作/感应操作
冲厕系统 Electrical System	手动/自动
水箱材料 Water Tank Material	PEFRP
水箱容量(L) Capacity of Water Tank (L)	94.05
水箱容量(L) Capacity of Waste Tank (L)	126.65
额定电压(V) Rated Voltage (V)	24V
额定功率(W) Normal Service Power (W)	160
额定电流(A) Rated Current (A)	10
工作压力(MPa) Normal Working Pressure (MPa)	0.5-0.6
耗水量(L) Water Consumption per flushings	0.5
客户名称 Customer of This Model	King Long, Export to Philippines, India, Saudi Arabia




型号 Model	612061256 后位厕
产品尺寸(L*W*H) Product Size (L*W*H)	1050mm*920mm*1740mm
冲厕器 Toilet Seat	非式冲厕
马桶盖 Toilet Seat Cover	自动
冲厕方式 Flushion Method	Embedded board or Side Board
冲厕功能 Function of Using	有
洗手功能 Function of Hand Washing	手动操作/感应操作
冲厕系统 Electrical System	手动/自动
水箱材料 Water Tank Material	PEFRP
水箱容量(L) Capacity of Water Tank (L)	91.64
水箱容量(L) Capacity of Waste Tank (L)	66.12
额定电压(V) Rated Voltage (V)	24V
额定功率(W) Normal Service Power (W)	160
额定电流(A) Rated Current (A)	10
工作压力(MPa) Normal Working Pressure (MPa)	0.5-0.6
耗水量(L) Water Consumption per flushings	0.5
客户名称 Customer of This Model	Golden Dragon, King Long



型号 Model	612061260 后位厕
产品尺寸(L*W*H) Product Size (L*W*H)	860mm*910mm*1870mm
冲厕器 Toilet Seat	非式冲厕
马桶盖 Toilet Seat Cover	自动
冲厕方式 Flushion Method	Embedded board or Side Board
冲厕功能 Function of Using	有
洗手功能 Function of Hand Washing	手动操作/感应操作
冲厕系统 Electrical System	手动/自动
水箱材料 Water Tank Material	PEFRP
水箱容量(L) Capacity of Water Tank (L)	126.4
水箱容量(L) Capacity of Waste Tank (L)	107.84
额定电压(V) Rated Voltage (V)	24V
额定功率(W) Normal Service Power (W)	160
额定电流(A) Rated Current (A)	10
工作压力(MPa) Normal Working Pressure (MPa)	0.5-0.6
耗水量(L) Water Consumption per flushings	0.5
客户名称 Customer of This Model	Shanghai Sunlong, Export to Thailand

Bus Flooring



BUS DESIGN

Process of product

- Task acceptance
- Proposal and approval
- Styling
- Design and analysis
- 3D drawing
- Virtual assessment
- Weld development
- Delivery

Y55-401产品图样