



Top-Joy International Trading(Shanghai)Co., Ltd.



Add

Unit 603 Building 7, Lane 2449, Jinhai Rd,
Pudong New Area, Shanghai P.R.China.



Cell

+86 18321907513

Email

tonyzhu@topjoygroup.com



WhatsApp

+86 18321907513

Wechat

TonyTopjoy



安全 · 清洁 · 健康
SAFE · CLEAN · HEALTHY


一步到位
IN ONE STEP



3种除尘防滑结构

集铲刀、刷子草尖三种结构于一身，防滑、刮沙、美观、易清洗。

Made by Nylon brush, scraper knife, grass tip three different structure as a whole one, with best anti skidding, dust clean function, nice appearance easy to clean.



加密高低位草尖设计，由288根高位草尖和66根低位草尖组成，硬度控制在80HS (± 1HS) 硬度高，韧性好。
Design of high and low level grass tip, made by 288 pieces high level grass tips and 66 pieces low level grass tips, hardness is 80HS (± HS) with the best flexibility.


加密尼龙66毛刷，刷丝曲度控制在6-7MPA，回弹性好，抗扭曲，耐重压不变形。
Tight nylon 66 brush, wire brush curvature control to be 6-7MPA, best flexibility, resistance to distortion, with heavy press will be not out of shape.

加固铲刀，由52个高1mm的铲刀组成，和60个龙骨十字相连，抗碾压，有效刮沙除尘防滑。
Solid scraper knife made by 52 piece 1mm height scraper, have 60 piece keels cross connection, perfect rolling resistance, can perfect scrap dust and sand, best anti skidding.

cp-三合一单刷


技术规格 Technical specifications

产品名称 Product	三合一单刷	承重力 Weight capacity	可经得住小汽车碾压 Can bear car crushing
产品规格 Specification	15cm × 15cm	适用范围 Usage range	酒店、宾馆、学校等 Hotel, school, shopping, etc.
边条规格 Edgings Specification	15cm × 7.5cm	适用温度 Applicable temperature	-30—70℃
边角规格 Coffin corner Specification	7.5cm × 7.5cm	安装方法 Install Method	卡扣连接、自由拼块 Interlock design, freely block
产品颜色 Color	灰色、红色、绿色等	清洗方法 Clean method	用水冲洗或者吸尘器等 Water cleaning or dust catcher
产品结构 Structure	尼龙刷、铲刀、草尖	产地 Place of Original	中国 China
产品材质 Material	纯料EVA、尼龙66毛刷		




厚度2.5cm

产品颜色 Color



实拍案例 Case





2种除尘防滑结构


集铲刀、刷子两种结构于一身，防滑、刮沙、美观、易清洗。

Made by Nylon brush, scraper knife, two different structure as a whole one, with best anti skidding, dust cleaning function, nice appearance easy to clean.




加密尼龙66毛刷，刷丝曲度控制在6-7MPa，回弹性好，抗扭曲，耐重压不变形。

Tight nylon 66 brush, wire brush curvature control to be 6-7MPa, best flexibility, resistance to distortion, with heavy press will be not out of shape.



毛刷

铲刀



加固铲刀，由高1mm的铲刀组成，和龙骨十字相连，抗碾压，有效刮沙除尘防滑。


Solid scraper knife make by 52 piece 1mm height scraper, have 60piece keels cross connection, perfect rolling resistance, can perfect scrap dust and sand, best anti skidding.



cp-三合一三刷


技术规格 Technical specifications

产品名称 Product	三合一单刷	承重力 Weight capacity	可经得住小汽车碾压 Can bear car crushing
产品规格 Specification	15cm × 15cm	适用范围 Usage range	酒店、宾馆、学校等 Hotel, school, shopping, etc.
边条规格 Edgings Specification	15cm × 7.5cm	适用温度 Applicable temperature	-30—70℃
边角规格 Coffin corner Specification	7.5cm × 7.5cm	安装方法 Install Method	卡扣连接、自由拼块 Interlock design, freely block
产品颜色 Color	灰色、红色、绿色等 Grey, red, green etc.	清洗方法 Clean method	用水冲洗或者吸尘器 Water cleaning or dust catcher
产品结构 Structure	铲刀、草尖 Nylon brush, grass tip	产地 Place of Original	中国 China
产品材质 Material	纯料EVA、尼龙66毛刷 Pure EVA, nylon 66 brush		



厚度2.5cm

产品颜色 Color



实拍案例 Case





2种除尘防滑结构

集铲刀、草尖两种结构于一身，防滑、刮沙、美观、疏水。
 Made by scraper knife, grass tip two different structure as a whole one, with best anti skidding, dust clean function, nice appearance easy to clean.



草尖 grass tip

铲刀 scraper knife



加密高低位草尖设计，由高位草尖和低位草尖组成，硬度控制在80HS(±1HS)硬度高，韧性好，防高跟鞋陷入。

Design of high and low level grass tip, made by 288 pieces high level grass tips and 66 pieces low level grass tips, hardness is 80HS(±HS) with the best flexibility.

加固铲刀，由高1mm的铲刀组成，和6龙骨十字相连，抗碾压，有效刮泥刮雪除尘防滑。



Solid scraper knife make by 52 piece 1mm height scraper, have 60 piece keels cross connection, perfect rolling resistance, can perfect scrap dust and sand, best anti skidding.



cp-二合一无刷


技术规格 Technical specifications

产品名称 Product	三合一单刷	承重力 Weight capacity	可经得住小汽车碾压 Can bear car crushing
产品规格 Specification	15cm × 15cm	适用范围 Usage range	酒店、宾馆、学校等 Hotel, school, shopping, etc.
边条规格 Edging Specification	15cm × 7.5cm	适用温度 Applicable temperature	-30—70℃
边角规格 Coffin corner Specification	7.5cm × 7.5cm	安装方法 Install Method	卡扣连接、自由拼块 Interlock design, freely block
产品颜色 Color	灰色、红色	清洗方法 Clean method	用水冲洗或者吸尘器等 Water cleaning or dust catcher
产品结构 Structure	铲刀、草尖	产地 Place of Original	中国 China
产品材质 Material	纯料EVA		




厚度2.5cm

产品颜色 Color




灰色 Grey




红色 Red

实拍案例 Case






单刷




专业私人定制 开启一件式定制的时代



三合一
手工制作
质量保证

细节






单刷



三合一
logo



细节



超强承重

象亦可挡



比利时毯面

- 阻燃耐磨
- 防滑吸污
- 不褪色不掉毛
- 除尘、吸污、吸油
- 防滑、刮泥、刮雪




防滑 疏水 排污




cp-铝合金地垫(钢丝绳连接)

产品规格 Product Specification	壁厚1.0mm-2.0mm Thickness 1.2mm-2.0mm	适用范围 Usage range	酒店、宾馆、大厦、4S店等 Hotel, hospital, 4S auto shop etc.
铝合金材质 Aluminum alloy type	6063-T5阳极氧化处理 6063-T5 anodic oxidation treatment	清洗方法 Cleaning method	直接用水冲洗或者吸尘器吸尘 Rinse directly with water or vacuum
铝合金毯面 Aluminium alloy blanket	比利时毯面 Belgian blanket	阻燃 Fire resistance	GB8624-2012: B2
产品承重 Weight capacity	1000kg/m ² -3000kg/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
连接方法 Connection type	钢丝绳连接 Wire rope connection	环保标准 Green standard	ZEK01.4-08:(PAHS)等级3 GB/T2423.16-2008:0 grade
安装方法 Install method	直接置于地面或者置于凹槽 Lay on ground or groove	产地 Place of original	中国 China
凹槽深度 Groove depth	22mm (±2mm)		


颜色




黑色 Black



红色 Red





灰色 Grey



咖色 Brown





超强承重

象亦可挡



比利时毯面

阻燃耐磨
防滑吸污
不褪色不掉毛
除尘、吸污、吸油
防滑、刮泥、刮雪




防滑 疏水 排污



cp-铝合金地垫(橡胶连接)

产品规格 Product Specification	壁厚1.5mm、2.0mm Thickness 1.5mm、2.0mm	适用范围 Usage range	酒店、宾馆、大厦、4S店等 Hotel, hospital, 4S auto shop etc.
铝合金材质 Aluminum alloy type	6063-T5阳极氧化处理 6063-T5 anodic oxidation treatment	清洗方法 Cleaning method	直接用水冲洗或者吸尘器吸尘 Rinse directly with water or vacuum
铝合金毯面 Aluminium alloy blanket	比利时毯面 Belgian blanket	阻燃 Fire resistance	GB8624-2012: B2
产品承重 Weight capacity	1000kg/m ² -3000kg/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
连接方法 Connection type	橡胶连接 Rubber connection	环保标准 Green standard	ZEK01.4-08:(PAHS)等级3 GB/T2423.16-2008:0 grade
安装方法 Install method	直接置于地面或者置于凹槽 Lay on ground or groove	产地 Place of original	中国 China
铝合金厚度 Aluminum alloy thickness	11mm、18mm、20mm		


颜色



黑色 Black



红色 Red




灰色 Grey



咖色 Brown





技术规格 Technical specifications

材质 fabric	纯原料PVC Pure PVC	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
厚度 height	1.6cm	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	9250g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)Grade3
尺寸 size	20*20cm	产地 place of origin	中国 China

适用范围：浴室、卫生间、公共厕所、喷水池、游泳池、洗车行、桑拿房、厨房等 易积水的场所，适用范围广，且独具易拼装、易清洗等特点

Scope of application: bathroom, toilet, public toilets, fountain, swimming pools, wash Garage, sauna room, easy se-
-eper place such as kitchen, wide scope of application, and unique Easy to assemble, easy to clean, etc.

五大功能 Five Functions

(1) 环保无味

采用进口原料生产，环保安全，
无异味，抗阻燃。

(1) Eco-friendly without any smell
Made by full new import material, e-
-co friendly production, no smell, res-
-istance to flame retardant.

(2) 柔韧性强 回弹性好

回弹性好，柔韧度高，更耐用！

(2) Strong soften and good flexi-
-bility
Can be rolled up freely with best fle-
-xibility more durable.

(3) 防滑耐磨

产品独特设计，加密草尖，结构
紧密，防滑效果更好，耐磨，刮
沙除尘

(3) Best anti slip and wear resista-
-nce
Special tight grass tip design, with s-
-olid close structure to get much bet-
-ter anti skidding effective, best wea-
-r resistance, clean dust and scrap s-
-and.

(4) 疏水防滑(导水功能好)



将污水导入地垫下层，有多重除
污及防滑功能结构，除污超强之
外防滑功能更为出众

(4) Best water hog and anti slip
Drain the waste water into mat bott-
-om which with multiple function du-
-st clean and anti skidding, the perf-
-ect anti slip structure make the ma-
-t most popular on the market.

(5) 安全清洁

产品定期用吸尘器或清水直接清
洗，延长使用寿命。

(5) Safe and Clean
Use dust catcher or water directly w-
-ashing every few time to prolong th-
-e mat lifetime.







技术规格 Technical specifications

材质 fabric	纯原料PVC Pure PVC	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
厚度 height	0.9cm	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	3000g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)Grade3
尺寸 size	20*20cm	产地 place of origin	中国 China

适用范围：浴室、卫生间、公共厕所、喷水池、游泳池、洗车行、桑拿房、厨房等 易积水的场所，适用范围广，且独具易拼装、易清洗等特点

Scope of application: bathroom, toilet, public toilets, fountain, swimming pools, wash Garage, sauna room, easy se-
-eper place such as kitchen, wide scope of application, and unique Easy to assemble, easy to clean, etc.

五大功能 Five Functions



(1) 环保无味

采用进口原料生产，环保安全，无异味，抗阻燃。

(1) Eco-friendly without any smell

Made by full new import material, eco friendly production, no smell, resistance to flame retardant.

(2) 柔韧度强 回弹性好

回弹性好，柔韧度高，更耐用！

(2) Strong soften and good flexibility

Can be rolled up freely with best flexibility more durable.

(3) 防滑耐磨

产品独特设计，加密草尖，结构紧密，防滑效果更好，耐磨，刮沙除尘

(3) Best anti slip and wear resistance

Special tight grass tip design, with solid close structure to get much better anti skidding effective, best wear resistance, clean dust and scrap sand.

(4) 疏水防滑(导水功能好)

将污水导入地垫下层，有多重除污及防滑功能结构，除污超强之外防滑功能更为出众

(4) Best water hog and anti slip

Drain the waste water into mat bottom which with multiple function dust clean and anti skidding, the perfect anti slip structure make the mat most popular on the market.

(5) 安全清洁

产品定期用吸尘器或清水直接清洗，延长使用寿命。

(5) Safe and Clean

Use dust catcher or water directly washing every few time to prolong the mat lifetime.





技术参数 Technical specifications

材质 fabric	纯原料PVC Pure PVC	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
厚度 height	1.6cm	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	10500g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)Grade3
尺寸 size	20*20cm	产地 place of origin	中国 China

适用范围：浴室、卫生间、公共厕所、喷水池、游泳池、洗车行、桑拿房、厨房等易积水的场所，适用范围广，且独具易拼装、易清洗等特点。

Scope of application: bathroom, toilet, public toilets, fountain, swimming pools, wash Garage, sauna room, easy seeper place such as kitchen, wide scope of application, and unique Easy to assemble, easy to clean, etc.

清洁维护 Cleaning


日常维护 Daily Maintenance:

用吸尘器吸尘 Use vacuum cleaner to clean the dust.


深度维护 Deep Maintenance:

用吸尘器吸尘并清扫之后，地垫可以用高压清洗装备进行喷射清洗。


After vacuum aspiration and cleaning, floor mat can be cleaned with high pressure jet cleaning



单卡扣



双卡扣




产品特点

拼块设计，最大满足自由设计的需要。遇热不变形不凸起，安装简易，独特的草尖设计可有效的除去鞋底污垢，导水设计也是产品的一个亮点，下雨天即便没有雨搭也不用担心地垫会积水，毯面定制，美国进口尼龙毯面，多种颜色可选，数量达到一定程度可定制颜色和尺寸。

Features

Block design can best meet the needs of freedom design, never be out shape or raised in hot, easy to install, unique grass tip design can effectively remove the sole dirt, water guiding design is also a bright spot, even if there is no rain-cover no need worry about water cushion on mats on rainy days. carpet customized. America import nylon carpet, many color to choose, can customized any color and size if reach limited quantity.

产品颜色 Color





技术参数 Technical specifications

材质 fabric	纯原料PVC Pure PVC	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
厚度 height	1.6cm	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	10500g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)Grade3
尺寸 size	20*20cm	产地 place of origin	中国 China

适用范围：浴室、卫生间、公共厕所、喷水池、游泳池、洗车行、桑拿房、厨房等易积水的场所，适用范围广，且独具易拼装、易清洗等特点。

Scope of application: bathroom, toilet, public toilets, fountain, swimming pools, wash Garage, sauna room, easy seeper place such as kitchen, wide scope of application, and unique Easy to assemble, easy to clean, etc.

清洁维护 Cleaning




日常维护 Daily Maintance:

用吸尘器吸尘 Use vacuum cleaner to clean the dust.

深度维护 Deep Maintance:

用吸尘器吸尘并清扫之后，地垫可以用高压清洗装备进行喷射清洗。

After vacuum aspiration and cleaning, floor mat can be cleaned with high pressure jet cleaning




产品特点

拼块设计，最大满足自由设计的需要。遇热不变形不凸起，安装简易，独特的草尖设计可有效的除去鞋底污垢，导水设计也是产品的一个亮点，下雨天即便没有雨搭也不用担心地垫会积水，毯面定制，美国进口尼龙毯面，多种颜色可选，数量达到一定程度可定制颜色和尺寸。

Features

Block design can best meet the needs of freedom design, never be out shape or raised in hot, easy to install, unique grass tip design can effectively remove the sole dirt, water guiding design is also a bright spot, even if there is no rain-cover no need worry about water cushion on mats on rainy days. carpet customized. America import nylon carpet, many color to choose, can customized any color and size if reach limited quantity.

产品颜色 Color






技术规格 Technical specifications

材质 fabric	纯原料PVC进口毯面 Pure PVC material with imported carpet	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
厚度 height	1.3cm	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	7750g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)等级3
尺寸 size	20*20cm	产地 place of origin	中国 China

适用范围: 大厦、酒店、商场、超市、写字楼、办公楼、汽车 4S 店、政府机构等公共场所的门厅入口。

APPLICATION: The entrance of buildings, hotels, shopping malls, supermarket, office buildings, auto shop, government agencies and other public site.

五大功能 Five Functions



(1) 环保无味

采用进口原料生产, 环保安全, 无异味, 抗阻燃, 防滑, 耐磨, 刮沙除尘。

(1) Eco-friendly without any smell. Made by imported full new raw material, eco-friendly without any smell, flame retardant anti-skidding and wear resistance, best clean dust using.

(2) 柔韧性强 回弹性好

回弹性好, 柔韧度高, 更耐用!

(2) Strong softness and good flexibility. Can be rolled up freely with best flexibility.

(3) 刮沙除尘


可以阻挡90%的灰尘进入室内, 轻松擦除鞋底灰尘, 刮净泥污。

(3) Scrap sand and clean dust. Can stop 90% dust enter into room, easy to clean sole dust cleanly.

(4) 疏水防滑(导水功能好)

将污水导入地垫下层, 有多重除污及防滑功能结构, 除污超强之外防滑功能更为出众。

(4) Best water hog and anti slip. Drain the waste water into mat bottom which with multiple function dust clean and anti skidding, the perfect anti slip structure make the mat most popular on the market.




(5) 毯面定制

美国进口尼龙毯面, 多种颜色可选, 数量达到一定程度可定制颜色和尺寸。

(5) Carpet customized. America import nylon carpet, many color to choose, can customized any color and size if reach limited quantity.








技术规格 Technical specifications

材质 Material	纯原料PVC Pure PVC	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
厚度 height	1.3cm	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	6500g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)Grade 3
尺寸 size	25*25cm	产地 place of origin	中国 China

适用范围：浴室、卫生间、公共厕所、喷水池、游泳池、洗车行、桑拿房、厨房等 易积水的场所，适用范围广，且独具易拼装、易清洗等特点

Scope of application: bathroom, toilet, public toilets, fountain, swimming pools, wash Garage, sauna room, easy se-
-eper place such as kitchen, wide scope of application, and unique Easy to assemble, easy to clean, etc.

六大功能 Six Functions



(1) 环保无味

全新科技进口PVC高分子材料产品
采用纯原料PVC生产制作，外观看
产品色泽度亮

(1) Eco-friendly without any smell

Made by full new PVC material, keep bright appearance

(2) 柔韧性强 回弹性好

全新科技进口PVC高分子材料，
可以随意卷起来，且回弹性特
别好

(2) Strong softness and good flexibility

Can be rolled up freely with best flexibility

(3) 耐滑耐磨

适用于泳池、浴室、厨房、卫生间等，强力耐磨，防滑效果好

(3) Best anti slip and wear resistance

Used on swimming pool, bathroom, kitchen, wash room, strongly wear resistance and best anti slip function.

(4) 疏水防滑(导水功能好)

产品正面有防滑纹理，且有疏水空隙，反面有固定地面的圆形柱头，水槽更容易疏通水流

(4) Best water hog and anti slip

Surface with pattern and water space, the backing with chapter to fix on the floor, make water easy to flow.

(5) 脚感好，舒适减压

产品材质好，并有纹理，对脚底能起到按摩作用

(5) Comfortable feet feel, easy to reduce stress.

Good material made with pattern help to massage foot


(6) 寿命长

材质好，做工细致，使用寿命长达5年以上

(6) Long lifetime

Good material, perfect production, make long lifetime more than 5 years.








技术规格 Technical specifications

材质 fabric	PVC	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
厚度 height	0.9cm	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	5000g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)等级3
尺寸 size	30*30cm	产地 place of origin	中国 China

适用范围：浴室、卫生间、公共厕所、喷水池、游泳池、洗车行、桑拿房、厨房等 易积水的场所，适用范围广，且独具易拼装、易清洗等特点

Scope of application: bathroom, toilet, public toilets, fountain, swimming pools, wash Garage, sauna room, easy se-
-eper place such as kitchen, wide scope of application, and unique Easy to assemble, easy to clean, etc.



六大功能 Six Functions

(1) 环保无味

全新科技进口PVC高分子材料产品
采用纯原料PVC生产制作，外观看
产品色泽度亮

(2) 柔韧度强 回弹性好

全新科技进口PVC高分子材料，
可以随意卷起来，且回弹性特
别好

(3) 耐滑耐磨

适用于泳池、浴室、厨房、卫生
间等，强力耐磨，防滑效果好

(4) 疏水防滑(导水功能好)

产品正面有防滑纹理，且有疏
水空隙，反面有固定地面的圆
形柱头，水槽更容易疏通水流

(5) 脚感好，舒适减压

产品材质好，并有纹理，对脚
底能起到按摩作用

(6) 寿命长

材质好，做工细致，使用寿命
长达5年以上

(1) Eco-friendly without any smel

Made by full new PVC material, k
-eep bright appearance

(2) Strong soften and good flexi -bility

Can be rolled up freely with best flexi-
-bility

(3) Best anti slip and wear resista -nce

Used on swimming pool, bathroo
-m, kitchen, wash room, strongly
wear resistance and best anti slip
function.

(4) Best water hog and anti slip

Surface with pattern and water sp
-pace, the backing with chapter to
fix on the floor, make water easy to
flow .

(5) Comfortable feet feel, easy to r -educe stress.

Good material made with pattern h
-elp to massage foot

(6) Long lifetime

Good material, perfect production,
make long lifetime more than 5 ye
-ars.





疏水防滑垫



技术规格 Technical specifications

材质 Material	PVC	颜色 Color	红色、蓝色、灰色
厚度 Height	5mm、11mm	阻燃 Fire resistance	GB8624-2012: B2
总重量 Total weight	7500g/m ² -10000g/m ²	环保标准 Green standards	ZEK01.4-08:(PAHS)等级3
尺寸 size	0.9m×12m、1.2m×15m	产地 Place of original	中国 China

适用范围：浴室、卫生间、公共厕所、喷水池、游泳池、洗车行、桑拿房、厨房等 易积水的场所，适用范围广，且独具易拼装、易清洗等特点

Scope of application: bathroom, toilet, public toilets, fountain, swimming pools, wash Garage, sauna room, easy se-
-eper place such as kitchen, wide scope of application, and unique Easy to assemble, easy to clean, etc.

六大功能 Six Functions



(1) 环保无味

全新科技进口PVC高分子材料产品
采用纯原料PVC生产制作，外观看
产品色泽度亮

(1) Eco-friendly without any smell

Made by full new PVC material, keep
-eep bright appearance

(2) 柔韧度强 回弹性好

全新科技进口PVC高分子材料，
可以随意卷起来，且回弹性特
别好

(2) Strong softness and good flexibility

Can be rolled up freely with best flexi-
-bility

(3) 耐滑耐磨

适用于泳池、浴室、厨房、卫生
间等，强力耐磨，防滑效果好

(3) Best anti slip and wear resistance

Used on swimming pool, bathroom, kitchen, wash room, strongly
wear resistance and best anti slip
function.

(4) 疏水防滑(导水功能好)

产品正面有防滑纹理，且有疏
水空隙，反面有固定地面的圆
形柱头，水槽更容易疏通水流

(4) Best water hog and anti slip

Surface with pattern and water space, the backing with chapter to
fix on the floor, make water easy to
flow .

(5) 脚感好，舒适减压

产品材质好，并有纹理，对脚
底能起到按摩作用

(5) Comfortable feet feel, easy to reduce stress.

Good material made with pattern help
-elp to massage foot

(6) 寿命长

材质好，做工细致，使用寿命
长达5年以上

(6) Long lifetime

Good material, perfect production,
make long lifetime more than 5 years.




强力刮沙防污垫

颜色 Color



红色



卡其色



技术规格 Technical specifications

毯面材质 fabric	100%尼龙66 100%nylon66	抗电性 electrical behaviour	抗静电 static disipative
绒高 height	10mm	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
绒重 fabric weight	630g/m ²	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	3000g/m ²	长霉等级 fungi-growth grade	GB/T2423.16-2008:0级
尺寸 size	1.2*12m	环保标准 environmental standard	ZEK01.4-08:(PAHS)等级3
底背 back	pvc底背 PVC backing	产地 place of origin	中国 China



- 01: 毯面耐磨耐用不易褪色;
- 02: 耐高温抗严寒, 不受地域、天气等因素影响;
- 03: 表面粗糙质感设计风格;
- 04: PVC防滑背底, 结实耐用, 不易老化;
- 05: 刮砂纳尘, 吸水防滑, 脚感舒适。


- 01:The carpet is best wear resistance, not easy to fade.
- 02:High temperature resistance ,can not be effected by place, weather and other factors.
- 03:The surface with strong modern design style.
- 04:PVC back, solid and durable, not ageing.
- 05:Clean dust, removal sand, water hog and anti slip, m ake feet feel comfortable.

适用范围： 铺设于室内门口，通道，电梯口等。
 产品功能： 刮沙除尘、 吸水防滑、 装饰地面。
 产品特点： 超强的刮沙除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance,channel, elevator and so on.

Product Function: Scrap sand and dust removal, wa-ter absorb and damp proof, perfect decorate floor.

Product Feature:Super dust clean and removal func-tion,best uv resistance, color fastness and no ageing.





强力吸水吸油垫

技术规格 Technical specifications

毯面材质 Material	100%纯棉 100%Pure cotton	抗电性 Electrical resistance	防静电 Anti-static electricity
绒高 Pile height	8mm	抗紫外线 Electrical resistance	通过ISO 105-B02测试 Pass ISO105-B02test
绒重 Pile weight	1080g/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
总重量 Total weight	4000g/m ²	环保标准 Green standards	ZEK01.4-08:(PAHS)等级3 ZEK01.4+0B:PAHS()grade 3
尺寸 size	1.2m × 18m、1.8m × 18m	产地 place of original	中国 China
底背 backing	PVC底背 PVC backing	橡胶边厚 Rubber thickness	1.3mm



- 01: 纯棉毯面，能吸收大量水分和污渍，环保安全无异味。
- 02: 割绒状间隔排列具有超强的刮沙除尘效果！
- 03: 选用厚型PVC材质，防滑底背，隔潮防渗

- 01: Pure cotton blanket, can absorb a lot of water and besmirch, environmental protection safety has no smell!
- 02: The cut-off pile spacing has a super dust removal effective.
- 03: Use thick PVC material, anti-slip backing, mould proof and anti seepage.

颜色 Color



红色 red



灰色 gray



蓝色 blue



适用范围：铺设于室内门口，通道，电梯口等。
产品功能：刮沙除尘、吸水防滑、装饰地面。
产品特点：超强的刮沙除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel, elevator and so on.
Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.
Product Feature: Super dust clean and removal function, best uv resistance, color fastness and no ageing.





强力刮沙防污垫

颜色 Color



卡其色 khaki



红色 red




灰色 gray



技术规格 Technical specifications

毯面材质 Material	100%尼龙66 100%nylon66	抗电性 Electrical resistance	抗静电 Anti-static electricity
绒高 Pile height	8.5mm	抗紫外线 UV resistance	通过ISO 105-B02测试 Pass ISO105-B02test
绒重 Pile weight	850g/m ²	阻燃 Fire resistance	GB8624-2012: B2
总重量 Total weight	3550g/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
尺寸 size	1.2m × 18m、1.8m × 20m	环保标准 Green standards	ZEK01.4-08:(PAHS)等级3 ZEK01.4+0B:PAHS()grade 3
底背 backing	pvc底背 pvc backing	产地 place of original	中国 China
橡胶边厚 Rubber thickness	1.5mm		



- 01: 毯面高强度粗纤维+细纤维混合结构,环保安全无异味!
- 02: 高强度尼龙抗紫外线,不褪色不老化,防滑/防潮/防霉
- 03: 选用厚型PVC材质,防滑底背,隔潮防渗
- 04: 割绒状间隔排列具有超强的刮沙除尘效果!

- 01: High strength rude fiber and O-fiber mixed structure, eco friendly no any smell
- 02: High strength nylon with best uv resistance,good fastness,no ageing, anti skidding,damp proof,mould proof.
- 03: Use thick PVC material, anti-slip backing, mould proof and anti seepage.
- 04: The cut-off pile spacing has a super dust removal effective.

适用范围：铺设于室内门口，通道，电梯口等处。
 产品功能：刮沙除尘、吸水防滑、装饰地面。
 产品特点：超强的刮尘除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel,elevator and so on.
 Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.
 Product Feature:Super dust clean and removal function,best uv resistance, color fastness and no ageing.





强力刮沙防污垫

颜色 Color



红色 red



灰色 gray



技术规格 Technical specifications

毯面材质 Material	100%尼龙66 100%nylon66	抗电性 Electrical resistance	抗静电 Anti-static electricity
绒高 Pile height	8.5mm	抗紫外线 UV resistance	通过ISO 105-B02测试 Pass ISO105-B02test
绒重 Pile weight	1000g/m ²	阻燃 Fire resistance	GB8624-2012: B2
总重量 Total weight	3800g/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
尺寸 size	1.2m/1.8m*18m	环保标准 Green standards	ZEK01.4-08:(PAHS)等级3 ZEK01.4+0B:PAHS()grade 3
底背 backing	pvc底背 pvc backing	产地 place of original	中国 China
橡胶边厚 Rubber thickness	1.5mm		




- 01: 毯面高强度粗纤维+细纤维混合结构,环保安全无异味;
- 02: 高强度尼龙抗紫外线, 不褪色不老化,防滑/防潮/防霉
- 03: 选用厚型PVC材质, 防滑底背, 隔潮防渗
- 04: 割绒状间隔排列具有超强的刮沙除尘效果!

- 01: High strength rude fiber and O-fiber mixed structure, eco friendly no any smell
- 02: High strength nylon with best uv resistance,good fastness,no ageing, anti skidding,damp proof,mould proof.
- 03: Use thick PVC material, anti-slip backing, mould proof and anti seepage.
- 04: The cut-off pile spacing has a super dust removal effective.

适用范围：铺设于室内门口，通道，电梯口等。
 产品功能：刮沙除尘、吸水防滑、装饰地面。
 产品特点：超强的刮沙除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel,elevator and so on.
 Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.
 Product Feature:Super dust clean and removal function,best uv resistance, color fastness and no ageing.





刮沙吸水防尘垫

颜色 Color



红色 red



灰色 gray



技术规格 Technical specifications

毯面材质 Material	100%尼龙66 100%nylon66	抗电性 Electrical resistance	抗静电 Anti-static electricity
绒高 Pile height	8mm	抗紫外线 UV resistance	通过ISO 105-B02测试 Pass ISO105-B02test
绒重 Pile weight	980g/m ²	阻燃 Fire resistance	GB8624-2012: B2
总重量 Total weight	3750g/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
尺寸 size	1.2m/1.8m*18m	环保标准 Green standards	ZEK01.4-08:(PAHS)等级3 ZEK01.4+0B:PAHS()grade 3
底背 backing	pvc底背 pvc backing	产地 Place of original	中国 China
橡胶边厚 Rubber thickness	1.5mm		




- 01: 毯面高强度粗纤维+细纤维混合结构,环保安全无异味
- 02: 高强度尼龙抗紫外线,不褪色不老化,防滑/防潮/防霉
- 03: 选用厚型PVC材质,防滑底背,隔潮防渗
- 04: 割绒状间隔排列具有超强的刮沙除尘效果!

- 01: High strength rude fiber and O-fiber mixed structure, eco friendly no any smell
- 02: High strength nylon with best uv resistance,good fastness,no ageing, anti skidding,damp proof,mould proof.
- 03: Use thick PVC material, anti-slip backing, mould proof and anti seepage.
- 04: The cut-off pile spacing has a super dust removal effective.

适用范围：铺设于室内门口，通道，电梯口等。
 产品功能：刮沙除尘、吸水防滑、装饰地面。
 产品特点：超强的刮沙除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel,elevator and so on.
 Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.
 Product Feature:Super dust clean and removal function,best uv resistance, color fastness and no ageing.





强力吸油吸水垫

颜色 Color




卡其色 khaki



红色 red



灰色 gray



技术规格 Technical specifications

毯面材质 Material	涤纶 dacron	抗电性 Electrical resistance	防静电 Anti-static electricity
绒高 Pile height	7mm	抗紫外线 UV resistance	通过ISO 105-B02测试 Pass ISO105-B02test
绒重 Pile weight	750g/m ²	阻燃 Fire resistance	GB8624-2012: B2
总重量 Total weight	3350g/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
尺寸 size	1.2m × 18m	环保标准 Green standards	ZEK01.4-08:(PAHS)等级3 ZEK01.4+0B:PAHS()grade 3
底背 backing	pvc底背 pvc backing	产地 place of original	中国 China
橡胶边厚 Rubber thickness	1.5mm		



- 01: 毯面高强度粗纤维+细纤维混合结构,环保安全无异味!
- 02: 高强度尼龙抗紫外线,不褪色不老化,防滑/防潮/防霉
- 03: 选用厚型PVC材质,防滑底背,隔潮防渗
- 04: 割绒状间隔排列具有超强的刮沙除尘效果!

- 01: High strength rude fiber and O-fiber mixed structure, eco friendly no any smell
- 02: High strength nylon with best uv resistance,good fastness,no ageing, anti skidding,damp proof,mould proof.
- 03: Use thick PVC material, anti-slip backing, mould proof and anti seepage.
- 04: The cut-off pile spacing has a super dust removal effective.

适用范围：铺设于室内门口，通道，电梯口等处。
 产品功能：刮沙除尘、吸水防滑、装饰地面。
 产品特点：超强的刮尘除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel, elevator and so on.
 Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.
 Product Feature: Super dust clean and removal function, best uv resistance, color fastness and no ageing.





喷染logo



喷染/雕刻

开启一件式定制的时代



喷染
专业设备
质量保证



方钻喷染





卷材雕刻



喷染
专业设备
质量保证

手工雕刻





手工雕刻
专业设备
质量保证

雕刻logo



手工
雕刻

细节





milliken ap 地垫

强力刮沙防污垫

颜色 Color





红色 red



灰色 gray



蓝色 blue



技术规格 Technical specifications

毯面材质 Material	100%尼龙66 100%nylon66	抗电性 Electrical resistance	抗静电 Anti-static electricity
绒高 Pile height	8mm	抗紫外线 UV resistance	通过ISO 105-B02测试 Pass ISO105-B02test
绒重 Pile weight	1085g/m ²	阻燃 Fire resistance	GB8624-2012: B2
总重量 Total weight	3560g/m ²	长霉等级 Fungi-growth grade	GB/T2423.16-2008:0级 GB/T2423.16-2008:0 grade
尺寸 size	2m x 18m	环保标准 Green standards	ZEK01.4-08:(PAHS)等级3 ZEK01.4+0B:PAHS()grade 3
底背 backing	pvc底背 pvc backing	产地 place of original	中国 China
橡胶边厚 Rubber thickness	1.5mm		



- 01: 毯面高强度粗纤维+细纤维混合结构,环保安全无异味,
- 02: 高强度尼龙抗紫外线,不褪色不老化,防滑/防潮/防霉
- 03: 选用厚型PVC材质,防滑底背,隔潮防渗
- 04: 割绒状间隔排列具有超强的刮沙除尘效果!

- 01: High strength rude fiber and O-fiber mixed struct-ure, eco friendly no any smell
- 02: High strength nylon with best uv resistance,good fastness,no ageing, anti skidding,damp proof,mould proof.
- 03: Use thick PVC material, anti-slip backing, mould proof and anti seepage.
- 04: The cut-off pile spacing has a super dust removal effective.

适用范围：铺设于室内门口，通道，电梯口等。

产品功能：刮沙除尘、吸水防滑、装饰地面。

产品特点：超强的刮沙除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel,elevator and so on.

Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.

Product Feature:Super dust clean and removal function,best uv resistance, color fastness and no ageing.






MMI尼龙刮沙垫

强力刮沙防污垫

颜色 Color



技术规格 Technical specifications

毯面材质 fabric	100%尼龙66 100%nylon66	抗电性 electrical behaviour	抗静电 static disipative
绒高 height	10mm	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
绒重 fabric weight	630g/m ²	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	3000g/m ²	长霉等级 fungi-growth grade	GB/T2423.16-2008:0级
尺寸 size	1.75*18m	环保标准 environmental standard	ZEK01.4-08:(PAHS)等级3
底背 back	pvc底背 rubber backing	产地 place of origin	中国 China



- 01: 100%原液染色尼龙双色纱线, 美观耐脏, 色牢度高
- 02: 100%NBR橡胶底, 无异味, 不弯曲, 不断裂。
- 03: 防滑, 防静电
- 01: Made by 100% original fluid dyed nylon double color wire, beautiful appearance, high color fastness.
- 02: 100% NBR rubber backing, without smell, without bending, no breaking.
- 03: Anti skidding, anti static

适用范围：铺设于室内门口，通道，电梯口等。
 产品功能：刮沙除尘、吸水防滑、装饰地面。
 产品特点：超强的刮沙除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel, elevator and so on.
 Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.
 Product Feature: Super dust clean and removal function, best uv resistance, color fastness and no ageing.





MMI菱形纹

强力刮沙防污垫

颜色 Color



技术规格 Technical specifications

毯面材质 fabric	100%尼龙66 100%nylon66	抗电性 electrical behaviour	抗静电 static disipative
绒高 height	10mm	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
绒重 fabric weight	850g/m ²	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	5000g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)等级3
尺寸 size	1.8m*18m	产地 place of origin	中国 China



01: 表面为高密度丙纶纤维, 容量850G/m², 采用原液染色技术, 色牢度高。

02: 底部由SBR 橡胶支撑, 紧贴地面, 不会滑动。

03: 吸水性强, 易于清洗且快速干透。耐高温, 抗严寒, 耐磨, 出色的防尘防污及刮沙功能。

01:Surface is high strength PP fiber, pile weight is 850g/m², adopt original fluid dyeing technology with the best fastness.

02:Back supporting by SBR rubber, closed to floor tightly, will be not to slid.

03:Strong water absorption,easy to clean, fast dry, resistance to high temperature and cold weather, super wear resistance and dust removal functions.

适用范围: 铺设于室内门口, 通道, 电梯口等。
产品功能: 刮沙除尘、吸水防滑、装饰地面。
产品特点: 超强的刮沙除尘及沉垢的功能, 抗紫外线, 不褪色不老化。

Applicable range: Used on indoor entrance,channel, elevator and so on.

Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.

Product Feature:Super dust clean and removal function,best uv resistance, color fastness and no ageing.







MMI轮胎纹

强力刮沙防污垫

颜色 Color



技术规格 Technical specifications

毯面材质 fabric	100%尼龙66 100%nylon66	抗电性 electrical behaviour	抗静电 static disipative
绒高 height	10mm	抗紫外线 uv resistance	通过ISO 105-B02测试 ISO 105-B02 test
绒重 fabric weight	850g/m ²	阻燃 fire resistance	GB8624-2012: B2
总重量 total weight	5000g/m ²	环保标准 environmental standard	ZEK01.4-08:(PAHS)等级3
尺寸 size	1.84m*20.2m	产地 place of origin	中国 China



01: 独特的凹凸结构能避免对室内环境造成“二次污染”时尚的轮胎纹垫面纹路，形象美观大方。

02: 底部由SBR橡胶制成，表面为高密度丙纶纤维，采用原液染色技术色牢度高

03: 吸水性强安全防滑且能保护地面，易清洗且快速干透。底部由SBR橡胶制成，紧贴地面不易滑动。

01: Unique concave and convex structure can avoid “secondary pollution” to the indoor environment with beautiful fashion appearance.

02: Made by high strength PP fiber, adopt original fluid dyeing technology with the best fastness.

03: The bottom is made of SBR rubber, very close to the ground, hard to slide, easy to clean and fast dry.

适用范围：铺设于室内门口，通道，电梯口等。
产品功能：刮沙除尘、吸水防滑、装饰地面。
产品特点：超强的刮沙除尘及沉垢的功能，抗紫外线，不褪色不老化。

Applicable range: Used on indoor entrance, channel, elevator and so on.

Product Function: Scrap sand and dust removal, water absorb and damp proof, perfect decorate floor.

Product Feature: Super dust clean and removal function, best uv resistance, color fastness and no ageing.





正面



CP-疏水抗疲劳地垫

技术规格 Technical specifications

产品名称 Product	抗疲劳地垫 Anti fatigue mat
产品规格 Specification	45cm × 50cm
产品材质 Product material	100%NBR天然橡胶 100% NBR rubber
产品特点 Product feature	柔软不变形、不断裂、防滑、抗疲劳、抗油污、抗腐蚀、抗静电、防臭抗菌，可用于敏感电子设备周围。 Soft, no out of shape, no breaking, anti skidding, anti fatigue, resistance to oil, corrosion, static, against the stretch and anti bacterial, can be used on sensitive electronic equipment.
产品颜色 Color	黑色
适用范围 Application range	工作车间、厨房、浴室等湿滑环境 Workshop, kitchen, bath room and other wet traction place.





背面

MMI抗疲劳地垫系列



MMI经济抗疲劳地垫/MMI economic anti fatigue mat



防滑 Anti skidding
 抗疲劳 anti fatigue
 抗油污 resistance to oil
 抗腐蚀 corrosion
 抗静电 and static


MMI疏水抗疲劳地垫/MMI Water hog anti fatigue mat

技术规格 Technical specifications

产品名称 Product	疏水抗疲劳地垫 Drain anti fatigue mat	经济抗疲劳地垫 Economic anti fatigue mat	柔软抗疲劳地垫 Soft anti fatigue mat
产品规格 Specification	85cm × 140cm	1.1m × 12m	55cm × 85cm
产品材质 Product material	100%NBR天然橡胶 100% NBR rubber	100%NBR天然橡胶 100% NBR rubber	100%NBR天然橡胶 100% NBR rubber
产品特点 Product feature	柔软不变形、不断裂、防滑、抗疲劳、抗油污、抗腐蚀、抗静电、防臭抗菌，可用于敏感电子设备周围。 Soft, no out of shape, no breakin-g, anti skidding, anti fatigue, resistance to oil, corrosion, static, against the stench and anti bacterial.	纯天然橡胶制成，紧贴地面，不易滑动，表面为菱形图案，增加摩擦力，防滑倒。 Made of pure rubber, close-d to floor, not easy to slid, the pattern surface can increase friction, super anti skidding.	表面由原液染色丙纶纤维制成，着色牢固，密封式发泡材质，超强抗疲劳作用。 Mabe of original fluid dyeing PP fiber, good fastness, sealed foaming material has super anti fatigue effective.
产品颜色 Color	黑色 Black	黑色、蓝色 Black、Blue	蓝色、深灰、棕色、浅灰 Blue、Darkgrey、Brown、Lightgrey
适用范围 Application range	工作车间、厨房、浴室等湿滑环境 Workshop, kitchen, bath room and other wet traction place.	工作车间、健身房、厨房等 Workshop, gym room, kitchen etc.	工作车间、超市收银台等 Workshop, checkout counter etc.



MMI柔软抗疲劳地垫/MMI soft anti fatigue mat



防滑 Anti skidding
 抗疲劳 anti fatigue
 抗油污 resistance to oil
 抗腐蚀 corrosion
 抗静电 and static



战略合作伙伴:

- Sheraton Nevskij Palace HOTEL
- THE RITZ-CARLTON HOTEL COMPANY, L.L.C.
- ROYAL PRINCESS HOTELS & RESORTS
- INTER-CONTINENTAL HOTELS AND RESORTS
- RENAISSANCE. HOTELS & RESORTS
- JW MARRIOTT. HOTELS & RESORTS
- RAMADA INTERNATIONAL HOTELS & RESORTS
- SHANGRI-LA HOTELS and RESORTS
- Holiday Inn
- Radisson SAS CARLTON HOTEL
- MARRIOTT RESORTS
- Kempinski HOTELS & RESORTS
- WESTIN HOTELS & RESORTS
- CROWNE PLAZA HOTELS · RESORTS
- Howard Johnson
- Formula 1
- 香港賽馬會 The Hong Kong Jockey Club
- 中國石化 SINOPEC
- 中國銀行 BANK OF CHINA
- 中國建設銀行 China Construction Bank
- 北京地铁 beijing subway
- 西安地铁 XI'AN METRO
- 深圳地铁 SHENZHEN METRO
- Nanjing Lukou INTERNATIONAL AIRPORT 南京禄口国际机场
- 万达广场 WANDA PLAZA
- Riverside 恒隆广场
- 上海中心 Shanghai Tower
- 上海科技馆 Shanghai Science & Technology Museum




认真做好一件事，

其他的交给光阴岁月……

Carefully work out every matter, Let the time take care of the rest.

让世界爱上中国造……

Let the world fall in love with "MADE IN CHINA"



完美生活 洁力体现
PERFECT LIFE REFLECTED BY CLEANPOWER



防滑吸水



刮沙除尘



脚感舒适



环保无味



无限拼接

